

Basic Climatological Station Metadata Current status

Metadata compiled: 28 JUL 2025

Station: DUM IN MIRRIE AIRSTRIP

Bureau of Meteorology station number: 014277 Bureau of Meteorology district name: Darwin-Daly


State: NT

World Meteorological Organization number: 94116

Identification: DIMI

Network Classification:

Station purpose: Synoptic, Aeronautical **Automatic Weather Station:** Telmet 320



		Current Station Loca	ntion	
Latitude	Decimal	-12.6350	Hour Min Sec	12°38'6"S
Longitude	Decimal	130.3725	Hour Min Sec	130°22'21"E
Station Height	3.5 m	Barometer Height	4.2 m	
Method of station	n geographi	GPS		

Year opened: 1994 Status: Open

Station summary

No summary for this site has been written as yet.	
_	




Basic Climatological Station Metadata Current status

Station:	DUM IN MIRRIE AIRSTRIP			Location:	DUM IN MIRRIE AIRSTRIP			State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025

Observation summary

The table below indicates the approximate completeness of the record for individual element types within the Australian Data Archive for Meteorology. For elements not listed see the note below.

Completeness **DAILY DATA HOLDINGS** 0% 100%



HOURLY DATA HOLDINGS - from 1 to 24 observations per day

OBSERVATION TYPE	FIRST MONTH	LAST MONTH	COMPLETENESS (% estimate)	FREQUENCY average daily	DAYS	FULL MONTHS MISSED
AIR TEMPERATURE	MAY 1994	JUN 2025	88.9	17.1	360	25
1 8 1 1 1	1 9 I	1 1	1 I 9 I	1 1	2	
5 0	0		5 0			
DEW POINT	MAY 1994	JUN 2025	84.6	16.8	398	40
1	1		1		2	
8 5 0	9 0 0		5 0			
MEAN SEA LEVEL PRESSURE	MAY 1994	JUN 2025	88.9	17.2	368	25
1	1		1		2	
8 5 0	9 0 0		9 5 0			
WIND SPEED	MAY 1994	JUN 2025	89.4	17.1	397	22
1	1		1		2	
8 5 0	9 0 0		9 5 0			



Basic Climatological Station Metadata

Current status

Station:	ion: DUM IN MIRRIE AIRSTRIP			Location: DUM IN MIRRIE AIRSTRIP				State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025

RAINFALL INTENSITY DATA HOLDINGS

OBSERVATION TYPE	FIRST MONTH		COMPLETENESS	DAYS	FULL MONTHS MISSED
RAINFALL INTENSITY	JUN 2001	SEP 2012	68.2	66	41
1	1		1		2
8 5 0	0 0		5 0		0

ONE-MINUTE DATA HOLDINGS

OBSERVATION TYPE	FIRST MONTH			FREQUENCY average daily	DAYS	FULL MONTHS MISSED	
ALL ELEMENTS	APR 2010	JUL 2025	98.1	1412.9	N/A	(6

HALF-HOURLY DATA HOLDINGS

TOBSERVATION TYPE	FIRST MONTH			FREQUENCY	DAYS	FULL MONTHS MISSED	
ALL ELEMENTS	AUG 2000	JUL 2025	76.3	36.6	N/A		16

THERE ARE NO UPPER-AIR EDT DATA HOLDINGS

Holdings calculated up to 01 Jul 2025

The % complete figure is the completeness of observations averaged over all months of record, for the given station and observation type, taking gaps into account. For hourly holdings, the completeness is relative to the maximum number of daily observations for the site each month, and is therefore an estimate. For daily holdings, the completeness figure shown is exact.

The single days missed figure is the total number of days for which no observation was received, not including full missed months. The full months missed figure is the total of full month gaps over the period of record. Where an element is not included assumptions can generally be made about availability, and the list to use has been suggested below.

Unlisted element Listed element to use

Minimum air temperature Maximum air temperature

Wet bulb temperature Dew point

Soil temperature at 20, 50 & 100cm 10cm soil temperature

Relative humidity Dew point

Minimum temp. of water in evaporimeter

Evaporimeter - max water temp

Visual observations eg. weather, visibility


Total cloud amount

Sea related observations Sea state



Station:	DUM IN MIR	DUM IN MIRRIE AIRSTRIP			1: DUM IN MIRRIE AIRSTRIP			State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Instrument Location and Surrounding Features 06/10/2020(most recent)





Station:	DUM IN MIRRIE AIRSTRIP			Location:	DUM IN MIRRIE AIRSTRIP			State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Instrument Location and Surrounding Features 03/10/2019





Station:	DUM IN MIR	DUM IN MIRRIE AIRSTRIP			1: DUM IN MIRRIE AIRSTRIP			State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Instrument Location and Surrounding Features 12/12/2017





Station:	DUM IN MIR	DUM IN MIRRIE AIRSTRIP			1: DUM IN MIRRIE AIRSTRIP			State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Instrument Location and Surrounding Features 30/11/2016





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	1	State:	NT
Bureau No.:	: 014277 WMO No.: 94116 Aviation ID				DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Instrument Location and Surrounding Features 26/11/2015





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	1	State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Instrument Location and Surrounding Features 26/09/2012





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	1	State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Instrument Location and Surrounding Features 17/03/2008





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	1	State:	NT
Bureau No.:	: 014277 WMO No.: 94116 Aviation ID				DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Instrument Location and Surrounding Features 12/04/2006





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	1	State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


${\bf Instrument\ Location\ and\ Surrounding\ Features}\atop{\bf 15/03/2004}$





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	1	State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


${\bf Instrument\ Location\ and\ Surrounding\ Features}$





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	1	State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Instrument Location and Surrounding Features 27/04/1994





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	1	State:	NT
Bureau No.:	: 014277 WMO No.: 94116 Aviation ID				DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Skyline Diagram 06/10/2020(most recent)





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	•	State:	NT
Bureau No.:	014277 WMO No.: 94116 Aviation ID				DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Skyline Diagram 26/11/2015





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	1	State:	NT
Bureau No.:	: 014277 WMO No.: 94116 Aviation ID				DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Skyline Diagram 12/04/2006





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	•	State:	NT
Bureau No.:	014277 WMO No.: 94116 Aviation ID				DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025


Skyline Diagram





Station:	DUM IN MIR	RIE AIRSTRIP		Location:	DUM IN	MIRRIE AIRSTRIP	•	State:	NT
Bureau No.:	014277 WMO No.: 94116 Aviation ID				DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025

Skyline Diagram 27/05/1996





Station:	Station: DUM IN MIRRIE AIRSTRIP			Location: DUM IN MIRRIE AIRSTRIP				State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025

Station Observation Program Summary (Surface Observations) from 01/04/1994 to 28/04/2010

Current Observation	Continuous	Half Hourly	Hourly	
Surface Observations	-	-	Y	

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	Y	Y	Y	Y	Y	Y	Y	Y
Surface Observation	REPORTED	Y	Y	Y	Y	Y	Y	Y	Y
Surface Observation	SEASONAL	-	1	-	-	-	1	ı	-

Station Observation Program Summary (Surface Observations) 28 JUL 2025 (most recent)

Current Observation	Continuous	Half Hourly	Hourly		
Surface Observations	Y	Y	Y		

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	Y	Y	Y	Y	Y	Y	Y	Y
Surface Observation	REPORTED	Y	Y	Y	Y	Y	Y	Y	Y
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-



Station:	Station: DUM IN MIRRIE AIRSTRIP			Location:	DUM IN MIRRIE AIRSTRIP			State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025

Station Equipment History

Equipment Install/Remove

Cloud Height (No Electronic History)

Humidity

30/APR/1994 INSTALL Humidity Probe (Type Rotronics S/N - 5968012) Surface Observations

09/SEP/2010 REPLACE Humidity Probe (Now Rotronics MP101A-T4-W4W S/N - 19522008) Surface Observations

06/OCT/2020 REPLACE Humidity Probe (Now Rotronics MP101A-T4-W4W S/N - 61683550) Surface Observations

08/MAY/2003 REPLACE Humidity Probe (Now Rotronics S/N - 19522013) Surface Observations

09/MAY/1997 REPLACE Humidity Probe (Now Rotronics S/N - 5968012) Surface Observations

Pressure Trend (No Electronic History)

Lightning (No Electronic History)

Sea Surface Temperature (No Electronic History)

Magnetic Bearing (No Electronic History)

Wind Direction

26/NOV/2015 INSTALL Anemometer (Type Synchrotac Cups - Type 732 S/N - 75028) Surface Observations

30/APR/1994 INSTALL Anemometer (Type Synchrotac Vane - Type 706 S/N - 68595) Surface Observations

30/APR/1994 INSTALL Mast Anemometer (Type Pivot, Standard 10m S/N - Unknown) Infrastructure

03/OCT/2019 REPLACE Anemometer (Now Synchrotac Cups - Type 732 S/N - D266) Surface Observations

04/OCT/2019 REPLACE Anemometer (Now Synchrotac Cups - Type 732 S/N - D266) Surface Observations

03/OCT/2019 REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - 260318) Surface Observations

01/NOV/2006 REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - WD69441) Surface Observations

28/MAY/2002 REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - WS79935/WD0244) Surface Observations

Wet Bulb Temperature (No Electronic History)

Solar Radiation (Long Wave) (No Electronic History)

Spectral Radiation (No Electronic History)

Maximum Temperature (No Electronic History)

Soil Temperature 10cm (No Electronic History)

Soil Temperature 20cm (No Electronic History)

Soil Temperature 50cm (No Electronic History)

Snow Height (No Electronic History)

Soil Temperature 100cm (No Electronic History)

Sunshine Hours (No Electronic History)

Wind Run (No Electronic History)

Minimum Temperature (No Electronic History)

Terrestial Minimum Temperature (No Electronic History)

Visibility (No Electronic History)

Soil Temperature 5cm (No Electronic History)

Sub Surface Temperature (No Electronic History)

Electrical Conductivity (No Electronic History)

Oxygen Content (No Electronic History)

RF Reflectivity (No Electronic History)

Total Column Ozone Amount (No Electronic History)

Pressure

21/SEP/1994 INSTALL Barometer (Type Vaisala DPA25 S/N - 359315) Surface Observations

13/DEC/2001 REPLACE Barometer (Now Vaisala PA11A S/N - 561168) Surface Observations



Air Temperature

Extended Climatological Station Metadata All History

Station:	Station: DUM IN MIRRIE AIRSTRIP			Location:	DUM IN MIRRIE AIRSTRIP			State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025

Station Equipment History (continued)

Equipment Install/Remove(Continued)
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
29/SEP/1998 REPLACE Barometer (Now Vaisala PA11A S/N - T1450047) Surface Observations
08/MAY/2003 REPLACE Barometer (Now Vaisala PA11A S/N - T1450040) Surface Observations
28/APR/2010 REPLACE Barometer (Now Vaisala PTB220B S/N - C0330058) Surface Observations
Evaporation (No Electronic History)
Rainfall
30/APR/1994 INSTALL Raingauge (Type Rimco 7499 TBRG S/N - 311990) Surface Observations
12/DEC/2017 REPLACE Raingauge (Now Rimco 7499 TBRG S/N - 106194) Rainfall Intensity
12/DEC/2017 REPLACE Raingauge (Now Rimco 7499 TBRG S/N - 106194) Surface Observations
05/JUN/2001 REPLACE Raingauge (Now Rimco 7499 TBRG S/N - 476) Rainfall Intensity
05/JUN/2001 REPLACE Raingauge (Now Rimco 7499 TBRG S/N - 476) Surface Observations
06/OCT/2020 REPLACE Raingauge (Now Rimco 7499 TBRG S/N - 98842) Rainfall Intensity
06/OCT/2020 REPLACE Raingauge (Now Rimco 7499 TBRG S/N - 98842) Surface Observations
11/NOV/1999 REPLACE Raingauge (Now Rimco TBRG (type unspecified) S/N - 68939) Rainfall Intensity
11/NOV/1999 REPLACE Raingauge (Now Rimco TBRG (type unspecified) S/N - 68939) Surface Observations
28/SEP/1998 REPLACE Raingauge (Now Rimco TBRG (type unspecified) S/N - 72144) Rainfall Intensity
29/SEP/1998 REPLACE Raingauge (Now Rimco TBRG (type unspecified) S/N - 72144) Rainfall Intensity
28/SEP/1998 REPLACE Raingauge (Now Rimco TBRG (type unspecified) S/N - 72144) Surface Observations
29/SEP/1998 REPLACE Raingauge (Now Rimco TBRG (type unspecified) S/N - 72144) Surface Observations
16/DEC/1998 REPLACE Raingauge (Now Rimco TBRG (type unspecified) S/N - 98079) Rainfall Intensity
16/DEC/1998 REPLACE Raingauge (Now Rimco TBRG (type unspecified) S/N - 98079) Surface Observations
05/JUN/2001 SHARE Raingauge (Type Rimco 7499 TBRG S/N - 106194) Rainfall Intensity
05/JUN/2001 SHARE Raingauge (Type Rimco 7499 TBRG S/N - 311990) Rainfall Intensity
05/JUN/2001 SHARE Raingauge (Type Rimco 7499 TBRG S/N - 476) Rainfall Intensity
05/JUN/2001 SHARE Raingauge (Type Rimco TBRG (type unspecified) S/N - 68939) Rainfall Intensity
05/JUN/2001 SHARE Raingauge (Type Rimco TBRG (type unspecified) S/N - 72144) Rainfall Intensity
05/JUN/2001 SHARE Raingauge (Type Rimco TBRG (type unspecified) S/N - 98079) Rainfall Intensity
25/SEP/2018 UNSHARE Raingauge (Type Rimco 7499 TBRG S/N - 98842) Rainfall Intensity
River Height (No Electronic History)
Solar Radiation (No Electronic History)
Solar Radiation (Direct) (No Electronic History)
Turbidity (No Electronic History)
Sea Water Level (No Electronic History)
Sea Water Temperature (No Electronic History)
Wind Speed
26/NOV/2015 INSTALL Anemometer (Type Synchrotac Cups - Type 732 S/N - 75028) Surface Observations
30/APR/1994 INSTALL Anemometer (Type Synchrotac Vane - Type 706 S/N - 68595) Surface Observations
30/APR/1994 INSTALL Mast Anemometer (Type Pivot, Standard 10m S/N - Unknown) Infrastructure
03/OCT/2019 REPLACE Anemometer (Now Synchrotac Cups - Type 732 S/N - D266) Surface Observations
04/OCT/2019 REPLACE Anemometer (Now Synchrotac Cups - Type 732 S/N - D266) Surface Observations
03/OCT/2019 REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - 260318) Surface Observations
01/NOV/2006 REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - WD69441) Surface Observations
28/MAY/2002 REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - WS79935/WD0244) Surface Observations
A * 70



Station:	Station: DUM IN MIRRIE AIRSTRIP			Location:	DUM IN MIRRIE AIRSTRIP			State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025

Station Equipment History (continued)

Equipment Install/Remove(Continued)

30/APR/1994 INSTALL Humidity Probe (Type Rotronics S/N - 5968012) Surface Observations

09/SEP/2010 REPLACE Humidity Probe (Now Rotronics MP101A-T4-W4W S/N - 19522008) Surface Observations

06/OCT/2020 REPLACE Humidity Probe (Now Rotronics MP101A-T4-W4W S/N - 61683550) Surface Observations

08/MAY/2003 REPLACE Humidity Probe (Now Rotronics S/N - 19522013) Surface Observations

09/MAY/1997 REPLACE Humidity Probe (Now Rotronics S/N - 5968012) Surface Observations

30/APR/1994 INSTALL Temperature Probe - Dry Bulb (Type Rosemount S/N - NONE) Surface Observations

28/SEP/1998 REPLACE Temperature Probe - Dry Bulb (Now Rosemount ST2401 S/N - 0160) Surface Observations

Surface Inclination (No Electronic History)

The following table summarises information on field performance checks available electronically over the period indicated. The number of instances an instrument was found to fail field performance checks should only be used as a guide. A system of data quality flags is implemented by the Bureau of Meteorology to indicate the data quality of an observation as determined by a mutli-stage quality control process.

Available Date Range	Element	Fail Field Performance Check
30/APR/1994 - 06/OCT/2020	Humidity	3
30/APR/1994 - 06/OCT/2020	Wind Direction	0
29/SEP/1994 - 06/OCT/2020	Pressure	1
30/APR/1994 - 06/OCT/2020	Rainfall	5
30/APR/1994 - 06/OCT/2020	Wind Speed	0
30/APR/1994 - 06/OCT/2020	Air Temperature	3

Station Detail Changes

01/FEB/2021 CLASSIFICATION AWS Priority 3 - Standard (SLP3-AWS)

30/APR/1994 CLASSIFICATION Basic & Severe (FBS)

30/AUG/2021 CLASSIFICATION Mastered in EAMS (EAMS)

01/JUL/2017 CLASSIFICATION Observing Operations Hub - Darwin (OOH-D)

21/MAR/2016 CLASSIFICATION Processed by ASOS (PBA)

10/JAN/2011 CLASSIFICATION Standard (ASOSSTD)

03/OCT/2019 OBJECT Document/Mast Inspection Dum In Mirrie

26/NOV/2015 OBJECT Document/SKYLINE DATA

12/APR/2006 OBJECT Document/SKYLINE DATA

10/OCT/2001 OBJECT Document/SKYLINE DATA

06/OCT/2020 OBJECT Document/SKYLINE DATA

27/MAY/1996 OBJECT Document/SKYLINE DATA

14/MAY/2019 OBJECT Document/TELVENT AWS CONFIGURATION

09/FEB/2010 OBJECT Document/TELVENT AWS CONFIGURATION

19/MAY/2010 OBJECT Document/TELVENT AWS CONFIGURATION

30/NOV/2010 OBJECT Document/TELVENT AWS CONFIGURATION

29/MAR/2011 OBJECT Document/TELVENT AWS CONFIGURATION

20/DEC/2011 OBJECT Document/TELVENT AWS CONFIGURATION

27/APR/1994 STATION - (nondb seeding) Opened

27/APR/1994 STATION - (nondb seeding) bar_ht Changed to 4.2



Station:	Station: DUM IN MIRRIE AIRSTRIP			Location:	DUM IN MIRRIE AIRSTRIP			State:	NT
Bureau No.:	014277	WMO No.:	94116	Aviation ID:	DIMI	Opened:	27 Apr 1994	Current Status:	Still open
Latitude:	-12.6350	Longitude:	130.3725	Elevation:	3.5 m	Barometer Elev:	4.2 m	Metadata compiled:	28 JUL 2025

Station Equipment History (continued)

Station Detail Changes(Continued)

27/APR/1994 STATION - (nondb seeding) bar_ht_deriv Changed to MAP 1:250 000

27/APR/1994 STATION - (nondb seeding) stn_ht Changed to 3.5

27/APR/1994 STATION - (nondb seeding) stn_ht_deriv Changed to MAP 1:250 000

27/APR/1994 STATION - (nondb seeding) wmo_num Changed to 94116

31/OCT/1997 STATION aviation_id Changed to DIMI

27/APR/1994 STATION latitude Changed to -12.6350

27/APR/1994 STATION latlon_deriv Changed to GPS

27/APR/1994 STATION latlon_error Changed to 4

27/APR/1994 STATION longitude Changed to 130.3725

27/APR/1994 STATION lu_0_100m Changed to Coastal or Island

27/APR/1994 STATION lu_100m_1km Changed to Coastal or Island

27/APR/1994 STATION lu_1km_10km Changed to Coastal or Island

01/JAN/2014 STATION name Changed to DUM IN MIRRIE AIRSTRIP

27/APR/1994 STATION name Changed to DUM IN MIRRIE AWS

27/APR/1994 STATION soil_type Changed to sand

15/MAR/2004 STATION surface_type Changed to mostly covered by grass

27/APR/1994 STATION surface_type Changed to partly covered by grass

System Changes

30/APR/1994 SYSTEM Infrastructure Commenced

25/SEP/2018 SYSTEM Rainfall Intensity Ceased

05/JUN/2001 SYSTEM Rainfall Intensity Commenced

01/APR/1994 SYSTEM Surface Observations Commenced



The following notes have been compiled to assist with interpreting the metadata provided in this document. These notes are subject to change as the network evolves. Changes in station-specific metadata occur more frequently, both as recent changes are recorded and historical information is transferred from paper file to electronic database.

Reliability of the metadata

The Commonwealth Bureau of Meteorology maintains information on more than 20,000 stations which have operated since observations began in the mid 1800s. The amount of information available for each of these sites and its associated uncertainty are influenced by a number of factors including the type and purpose of the station and the time over which it operated.

Early information about stations was held only on paper file. In 1998 a corporate electronic database was established to help maintain information about the network and its components. The number of parameters recorded about a station is now much greater than before this database was established. The national database has also helped improve consistency in the metadata through the implementation of predefined fields. As a result, and through the refinement of operating procedures, station metadata recorded since 1998 are of a higher overall standard than previously, although occasional omissions and errors are still possible.

The Bureau is part way through a task of entering historical information held on paper file into the corporate database. Until this process is completed there will remain large gaps in the information contained in these metadata documents and considerable caution should be used when deriving conclusions from the metadata. As an example, two consecutive entries about a rain gauge dated 50 years apart may appear in the equipment metadata. This may either mean that nothing happened to that instrument over the 50 years, or that information for the intervening period has yet to be entered into the database. Similarly, if no information was available about instruments at a site when it was first established, fields which were required to have a value present may have used the earliest information available as a best-guess estimate. Sometimes this was the metadata current when the database was established in 1998. In some instances there may be gaps in metadata relevant to the post 1998 period.

For the above reasons it is recommended that all metadata prior to 1998 be considered as indicative only, and used with caution, unless it has been quality controlled. The Bureau of Meteorology should be contacted if further information or confirmation of the data is required. Depending on the nature of the inquiry there may be a fee associated with this request. Contact details are provided in the telephone book for each capital city or the Bureau's web site at: http://www.bom.gov.au

The following pages contain explanatory notes for selected terms found in this document.

Station Number

The Bureau of Meteorology station number uniquely specifies a station and is not intended to change over time time, although on very rare occasions a station number may change or be deleted from the record (usually to correct an error). Generally a new station number is established if an existing station changes in a way that would affect the climate data record for that site (measured in terms of air temperature and precipitation). Significant station moves are an example of this.

Some stations also possess a World Meteorological Organization (WMO) station number. The WMO number is different to the Bureau of Meteorology number. It also uniquely specifies a station at any given time but can be reassigned to another station if the new station takes priority in the global reporting network. Only selected stations will have a WMO number. Significant stations may maintain their WMO number for many decades.



Network Classification

SUPPORTING the BASIC CLIMATE SERVICE
Global Climate Observing System (GCOS)
GCOS Upper Air Network (GUAN)
GCOS Surface Network (GSN)
National Climate Network {not yet assigned}
Reference Climate Stations (RCS)
Regional Basic Climatological Network (RBCN)
CLIMAT Stations (CLC)
CLIMAT TEMP Stations (CLT)
SUPPORTING the NATIONAL WEATHER WATCH SYSTEM
WMO Global Observing System (GOS)
GOS Upper Air Network
GOS Satellite Network
Global Atmospheric Watch
Background Atmospheric Pollution Monitoring Network (BAPMON)
Basic Ozone Network
Basic Solar and Terrestrial Radiation Network
Regional Basic Synoptic Network (RBSN)
WMO Global Oceanic Observing System (GOOS)
SUPPORTING the BASIC WEATHER SERVICE (BWS)
BWS Land Network
Significant Land Locations
Capital City Mesonets
National Benchmark Network for Agrometeorology (NBNA)
BWS Marine Network
Significant Coastal Loactions
Open Ocean Network
BWS Upper Air Network
Major Significant Locations
BWS Remote Sensing Network
Weather Watch Radar Network
Fire Weather Wind Mesonets
High Resolution Satellite
SUPPORTING the BASIC HYDROLOGICAL SERVICE
Regional Flood Warning Network
Water Resources Assessment Network
Global Hydrological Network
Global Terrestrial Observing System (GTOS)
World Hydrological Cycle Observing System (WHYCOS)
National Hydrological Network

Networks of stations are defined for a variety of purposes (as defined in above table).



Network Classification Continued....

Stations may be included in several different networks, which may change over time. The table on the previous page lists current network classifications related to the scientific purpose of the network. Some of these networks - the GCOS network for instance - are components of a global network. Entries in the database for some networks may not be complete, thus not properly representing the status of the network. The composition of the network will usually change over time. While several of the networks have international significance, other network classifications have been developed to aid operational management.

Station Purpose

The station purpose can be classified according to the observation program listed below. Parameters in brackets list some of the various different configurations which occur.

- Synoptic [Seasonal, River Height, Climatological, Telegraphic Rain, Aeronautical, Upper Air]
- Climatological [Seasonal, Telegraphic Rain]
- Aeronautical
- Rainfall [River Height]
- · River Height
- Telegraphic Rain [Non-Telegraphic River Height, Telegraphic River Height]
- Non-Telegraphic Rain [Telegraphic River Height]
- Evaporation [Rainfall, River Height, Telegraphic River Height, Non-Telegraphic River Height, Telegraphic Rain, Non-Telegraphic Rain]
- Pluviograph [Rainfall, Telegraphic Rain, Non-Telegraphic Rain, River Height, Telegraphic River Height, Non-Telegraphic River Height]
- Radiation
- Lightning Flash Counter
- Public Information
- Local Conditions
- Radar Site
- · Unclassified
- No Routine Observations

Note: Telegraphic observations are those which are sent by some electronic means be it a phone or telegram to the responsible Bureau office. It is a term which is historically linked to analogue non automatic data transmission.

Station Observation Program Summary

Surface Observations

The following terms are used to describe the frequency of surface observations at a site. Historical observation programs will typically be missing for many sites until the database is backfilled with information.

Set a)

- Continuous Program
 - · More than half hourly observations sent (eg an automatic weather station {AWS} which continuously transmits 10 minute observations). This will automatically include half hourly and hourly observations programs.
- Half hourly observations
 - · Half hourly observations sent. This will automatically include hourly observations.
- Hourly observations
 - · Hourly observations sent only. Stations report on non-synoptic hours (ie. 0100, 0200, 0400, 0500, etc)



Surface observations continued....

Set b)

- Performed
 - · Observations performed, instruments read and observations recorded
- Reported
 - · Observations performed, instruments read and reported real time
- Seasonal
 - The program may only be performed during a defined season (such as Fire Weather observations) or the routine program may increase in reporting frequency and/or parameters. The program dates are currently modified at the start and end of each season for stations performing seasonal observations. Historically this was not always the case.

Current Station Equipment Summary

Equipment listed in this metadata product is catalogued under one of systems listed below, appropriate to its application. The "Infrastructure" category has been included since it contains information about the mast height of an anemometer (if present).

- Flood Warning
- Infrastructure
- Radiation
- Rainfall Intensity
- Surface Observations
- Upper Air
- Weather Watch {RADAR}

Station Equipment History

Equipment Install/Remove

One of four types of actions can be performed on an instrument in this listing:

Install - A new instrument is installed at the site. This can be either a completely new addition (eg the first barometer at the site), or the replacement of an existing instrument with a different type (eg replacing mercury barometer with electronic barometer)

Remove - An instrument can be removed either when it is no longer necessary to measure a particular element, or when the element is to be measured by an instrument of a different type (see under "Install" above)

Replace - This occurs when one instrument is replaced with another of the same type (eg Kew pattern mercury barometer replacing another Kew pattern mercury barometer)

Share - The same instrument is used for observations under two (or more) systems (eg a rain gauge may be used within both Surface Observations and Rainfall Intensity systems)

Unshare - The instrument is no longer shared between systems



Calibration

During a site inspection an instrument will be calibrated as either being within or not within the specified tolerance in accuracy.

Where a quantative calibration result can be achieved by comparison to a transfer standard (eg barometer comparisons and tipping bucket rain gauge calibrations), the instrument will be recorded as being within or outside the required tolerance. Instruments (such as 203mm rain gauges, screens and evaporation pans) where quantitative calibrations cannot be derived should be regarded as meeting specifications when the instrument is in 'good working order'.

This product provides a summary table of the number of times an instrument was found to be out of calibration

Station Detail Changes

This set of metadata indicates when some aspect of the general information about a station has changed.

- STATION

Metadata which are categorised as pertaining to STATION are items of (textual) information describing a specific attribute of the station. A reference to (nondB seeding) indicates initial information of this field has been sourced from a previous database.

Station position

- Latitude and longitude

Derivation of station latitude and longitude, defined by the location of the rain gauge when it is present, has changed over time. Current practice is to locate or verify open and operational station latitude and longitude based on Global Positioning System equipment. Methods used to locate a station as described in this product (latlon_deriv) are as follows: GPS, MAP 1:10000, MAP 1:2500, MAP 1:25000, MAP 1:50000, MAP 1:100000, MAP 1:250000, SURVEY, and Unknown (which is more commonly represented by a null value). The field latlon_error should be used with caution as the method of determining this value has been interpreted in different ways over time.

- Height

Determination of heights for observing sites is by survey where possible. Otherwise height may be determined using a Digital Aneroid Barometer and a known surveyed point, or derived from map contours. The source of height is provided in the corresponding parameter with a suffix of "_deriv".

Heights which may appear in these metadata are:

- aero_ht
 - The official elevation of the aerodrome which normally corresponds to the altitude of the highest threshold of the runways at that airport;
- bar ht
 - this represents the height of the mercury barometer cistern or the digital aneroid barometer above mean sea level (MSL);
- stn_ht
 - this normally represents the height of the rain gauge above MSL



- Land Use

To assist the long term understanding of climate change it is important to be able to determine the differences over time which are attributed to variations in the climate. Since land use has an effect on the micro climate around the site, and changes in land use will therefore affect the climate record, it is important that the characteristics of the site are monitored. Soil types are recorded as they affect the land use and also add to the knowledge of the site details.

Defined Land use Types.

- Non-vegetated (barren, desert)
- Coastal or Island
- Forest
- Open farmland, grassland or tundra
- Small town, less than 1000 population
- Town 1000 to 10,000 population
- City area with buildings less than 10 metres (3 stories)
- City area with buildings greater than 10 metres (3 stories)
- Airport

The land use code is entered on the station inspection form in the ranges 0 to 100 m, 100 to 1 km and 1km to 10 km; ie:

• lu 0 100m: Land Use 0 to 100 metres from the enclosure

lu_100m_1km: Land Use 100 metres to 1 kilometre
 lu 1km 10km: Land Use 1 kilometre to 10 kilometres

Defined Soil Type (At Enclosure).

- unable to determine
- sand
- · black soil
- clav
- rock
- · red soil
- other

Surface Type (At Enclosure).

- unable to determine
- fully covered by grass
- mostly covered by grass
- partly covered by grass
- · bare ground
- sand
- concrete
- asphalt
- rock
- other

Historical metadata for this site has been quality controlled for accuracy and completeness against available source information. However, users should be aware of the possible unavailability of confident source data and as such this site-specific metadata should be considered accordingly.

Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.