



Basic Climatological Station Metadata
Current status

Metadata compiled: 27 JUL 2025

Station: WINDORAH EVAP

Bureau of Meteorology station number: 038024
Bureau of Meteorology district name: Lower Western
State: QLD

World Meteorological Organization number: ?
Identification: NO ID

Network Classification:
Station purpose: Synoptic
Automatic Weather Station:



Current Station Location				
Latitude	Decimal	-25.4197	Hour Min Sec	25°25'11"S
Longitude	Decimal	142.6594	Hour Min Sec	142°39'34"E
Station Height	132 m	Barometer Height		
Method of station geographic positioning			GPS	

Year opened: 1887
Status: Open

Station summary

No summary for this site has been written as yet.

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.




Basic Climatological Station Metadata
Current status

Station: WINDORAH EVAP		Location: WINDORAH EVAP		State: QLD	
Bureau No.: 038024	WMO No.: ?	Aviation ID: NO ID	Opened: 01 Jan 1887	Current Status: Still open	
Latitude: -25.4197	Longitude: 142.6594	Elevation: 132 m	Barometer Elev:	Metadata compiled: 27 JUL 2025	

Observation summary

The table below indicates the approximate completeness of the record for individual element types within the Australian Data Archive for Meteorology. For elements not listed see the note below.



DAILY DATA HOLDINGS

OBSERVATION TYPE	FIRST MONTH	LAST MONTH	COMPLETENESS (% estimate)	SINGLE DAYS MISSED	FULL MONTHS MISSED
EVAPORATION	MAY 1969	JAN 2024	94.8	362	22
GROUND MINIMUM TEMPERATURE	JAN 1969	SEP 2014	92.6	557	22
MAXIMUM AIR TEMPERATURE	JAN 1963	SEP 2014	90.9	187	50
RAINFALL	JAN 1887	JAN 2024	99	N/A	N/A

HOURLY DATA HOLDINGS - from 1 to 24 observations per day

OBSERVATION TYPE	FIRST MONTH	LAST MONTH	COMPLETENESS (% estimate)	FREQUENCY average daily	SINGLE DAYS MISSED	FULL MONTHS MISSED
AIR TEMPERATURE	JAN 1963	SEP 2014	90.3	4.5	114	50
DEW POINT	JAN 1963	SEP 2014	83.9	4.6	115	91
MEAN SEA LEVEL PRESSURE	JAN 1963	SEP 2014	90.0	4.5	151	50
TOTAL CLOUD AMOUNT	JAN 1963	SEP 2014	90.0	4.5	117	51
WIND SPEED	JAN 1963	SEP 2014	90.3	4.5	114	50


Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.



Basic Climatological Station Metadata
Current status

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
						Current Status:	Still open
						Metadata compiled:	27 JUL 2025

RAINFALL INTENSITY DATA HOLDINGS



THERE ARE NO ONE-MINUTE DATA HOLDINGS

THERE ARE NO HALF-HOURLY DATA HOLDINGS

THERE ARE NO UPPER-AIR EDT DATA HOLDINGS

Holdings calculated up to 01 Jul 2025

The % complete figure is the completeness of observations averaged over all months of record, for the given station and observation type, taking gaps into account. For hourly holdings, the completeness is relative to the maximum number of daily observations for the site each month, and is therefore an estimate. For daily holdings, the completeness figure shown is exact.

The single days missed figure is the total number of days for which no observation was received, not including full missed months. The full months missed figure is the total of full month gaps over the period of record. Where an element is not included assumptions can generally be made about availability, and the list to use has been suggested below.

Unlisted element	Listed element to use
Minimum air temperature	Maximum air temperature
Wet bulb temperature	Dew point
Soil temperature at 20, 50 & 100cm	10cm soil temperature
Relative humidity	Dew point
Minimum temp. of water in evaporimeter	Evaporimeter - max water temp
Visual observations eg. weather, visibility	Total cloud amount
Sea related observations	Sea state

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.


Extended Climatological Station Metadata

All History

Station:	WINDORAH EVAP	Location:	WINDORAH EVAP	State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID
Latitude:	-25.4197	Longitude:	142.6594	Opened:	01 Jan 1887
		Elevation:	132 m	Barometer Elev:	
				Current Status:	Still open
				Metadata compiled:	27 JUL 2025

Instrument Location and Surrounding Features

27/09/2019(most recent)



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.


Extended Climatological Station Metadata

All History

Station:	WINDORAH EVAP	Location:	WINDORAH EVAP	State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID
Latitude:	-25.4197	Longitude:	142.6594	Opened:	01 Jan 1887
		Elevation:	132 m	Barometer Elev:	
				Current Status:	Still open
				Metadata compiled:	27 JUL 2025

Instrument Location and Surrounding Features

15/12/2014



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au


Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
						Current Status:	Still open
						Metadata compiled:	27 JUL 2025

Instrument Location and Surrounding Features
28/04/2014



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.


Extended Climatological Station Metadata

All History

Station:	WINDORAH EVAP	Location:	WINDORAH EVAP	State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID
Latitude:	-25.4197	Longitude:	142.6594	Opened:	01 Jan 1887
		Elevation:	132 m	Current Status:	Still open
		Barometer Elev:		Metadata compiled:	27 JUL 2025

Instrument Location and Surrounding Features

16/04/2013



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au


Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
						Current Status:	Still open
						Metadata compiled:	27 JUL 2025

Instrument Location and Surrounding Features
02/05/2012



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au


Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
						Current Status:	Still open
						Metadata compiled:	27 JUL 2025

Instrument Location and Surrounding Features
25/07/2008




Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
						Current Status:	Still open
						Metadata compiled:	27 JUL 2025

Instrument Location and Surrounding Features
17/08/2006



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.


Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.

All History

Station:	WINDORAH EVAP			Location:	WINDORAH EVAP			State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887	Current Status:	Still open
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:		Metadata compiled:	27 JUL 2025

26/05/2002



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au


Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology. Page 10 of 10



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
						Current Status:	Still open
						Metadata compiled:	27 JUL 2025

Instrument Location and Surrounding Features
15/07/1999




Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
						Current Status:	Still open
						Metadata compiled:	27 JUL 2025

Instrument Location and Surrounding Features
14/05/1998



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au


Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
						Current Status:	Still open
						Metadata compiled:	27 JUL 2025

Skyline Diagram
28/04/2014



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.


Extended Climatological Station Metadata

All History

Station:	WINDORAH EVAP	Location:	WINDORAH EVAP	State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID
Latitude:	-25.4197	Longitude:	142.6594	Opened:	01 Jan 1887
		Elevation:	132 m	Barometer Elev:	
				Current Status:	Still open
				Metadata compiled:	27 JUL 2025

Skyline Diagram

02/05/2012



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au


Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
							Current Status: Still open
							Metadata compiled: 27 JUL 2025

Skyline Diagram
24/04/2007



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au


Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
Current Status:							Still open
Metadata compiled:							27 JUL 2025

Skyline Diagram
26/05/2002



Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.



Extended Climatological Station Metadata

All History

Station: WINDORAH EVAP			Location: WINDORAH EVAP			State: QLD			
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887	Current Status:	Still open
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:		Metadata compiled:	27 JUL 2025

Station Observation Program Summary (Surface Observations) from 01/01/1887 to 16/03/2005

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	-	-	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	Y	Y	Y	Y	Y	Y	Y
Surface Observation	REPORTED	-	Y	Y	Y	Y	Y	Y	Y
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-

Station Observation Program Summary (Surface Observations) from 16/03/2005 to 01/07/2007

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	-	-	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	Y	Y	Y	Y	Y	-	-
Surface Observation	REPORTED	-	Y	Y	Y	Y	Y	-	-
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-

Station Observation Program Summary (Surface Observations) from 01/07/2007 to 01/09/2012

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	-	-	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	-	Y	Y	Y	Y	Y	Y
Surface Observation	REPORTED	-	-	Y	Y	Y	Y	Y	Y
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-

Station Observation Program Summary (Surface Observations) from 01/09/2012 to 01/10/2014

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	-	-	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	-	Y	Y	-	Y	-	-
Surface Observation	REPORTED	-	-	Y	Y	-	Y	-	-
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.



Extended Climatological Station Metadata
All History

Station: WINDORAH EVAP			Location: WINDORAH EVAP			State: QLD			
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887	Current Status:	Still open
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:		Metadata compiled:	27 JUL 2025

Station Observation Program Summary (Surface Observations) 27 JUL 2025 (most recent)

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	-	-	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	-	-	Y	-	-	-	-
Surface Observation	REPORTED	-	-	-	-	-	-	-	-
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
Current Status:							Still open
Metadata compiled:							27 JUL 2025

Station Equipment History

Equipment Install/Remove

Cloud Height (No Electronic History)

Humidity (No Electronic History)

Pressure Trend (No Electronic History)

Lightning (No Electronic History)

Sea Surface Temperature (No Electronic History)

Magnetic Bearing (No Electronic History)

Wind Direction

26/JUL/1990 INSTALL Anemometer (Type Dwyer on mast S/N - Unknown) Surface Observations

05/SEP/2006 INSTALL Anemometer (Type Kestrel 1000 S/N - 1661040) Surface Observations

01/JAN/1927 INSTALL Anemometer (Type Wind Vane S/N - NONE) Surface Observations

08/MAY/2005 REMOVE Anemometer (Type Dwyer on mast S/N - Unknown) Surface Observations

01/OCT/2014 REMOVE Anemometer (Type Kestrel 1000 S/N - 1761796) Surface Observations

01/OCT/2014 REMOVE Anemometer (Type Wind Vane S/N - NONE) Surface Observations

13/OCT/2010 REPLACE Anemometer (Now Kestrel 1000 S/N - 1761796) Surface Observations

Wet Bulb Temperature

01/JAN/1894 INSTALL Thermometer, Mercury, Wet Bulb (Type Dobbie S/N - 5130) Surface Observations

01/OCT/2014 REMOVE Thermometer, Mercury, Wet Bulb (Type Dobbie S/N - 20160) Surface Observations

26/MAY/2002 REPLACE Thermometer, Mercury, Wet Bulb (Now Dobbie S/N - 20160) Surface Observations

Solar Radiation (Long Wave) (No Electronic History)

Spectral Radiation (No Electronic History)

Maximum Temperature

01/JAN/1894 INSTALL Thermometer, Mercury, Max (Type Dobros S/N - M2493) Surface Observations

01/OCT/2014 REMOVE Thermometer, Mercury, Max (Type Dobros S/N - M2493) Surface Observations

26/MAY/2002 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 19349) Surface Observations

24/JUL/2003 REPLACE Thermometer, Mercury, Max (Now Dobros S/N - M2493) Surface Observations

Soil Temperature 10cm (No Electronic History)

Soil Temperature 20cm (No Electronic History)

Soil Temperature 50cm (No Electronic History)

Snow Height (No Electronic History)

Soil Temperature 100cm (No Electronic History)

Sunshine Hours (No Electronic History)

Wind Run (No Electronic History)

Minimum Temperature

15/JAN/2007 INSTALL Thermometer, Alcohol, Min (Type Amarol S/N - 21868) Surface Observations

07/JUN/2012 INSTALL Thermometer, Alcohol, Min (Type Amarol S/N - 27613) Surface Observations

01/JAN/1894 INSTALL Thermometer, Alcohol, Min (Type Dobbie S/N - M1709) Surface Observations

01/OCT/2014 REMOVE Thermometer, Alcohol, Min (Type Amarol S/N - 27613) Surface Observations

01/OCT/2014 REMOVE Thermometer, Alcohol, Min (Type Dobbie S/N - 14443) Surface Observations

24/MAY/2012 REMOVE Thermometer, Alcohol, Min (Type Dobbie S/N - M1551) Surface Observations

13/OCT/2009 REPLACE Thermometer, Alcohol, Min (Now Amarol S/N - 15701) Surface Observations

04/MAY/2001 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 14443) Surface Observations

01/APR/2011 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - M1551) Surface Observations

Terrestrial Minimum Temperature

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
Current Status:							Still open
Metadata compiled:							27 JUL 2025

Station Equipment History (continued)

Equipment Install/Remove(Continued)

01/JAN/1894 INSTALL Thermometer, Terrestrial, Min (Type Dobbie S/N - 14443) Surface Observations
08/JAN/2007 REMOVE Thermometer, Terrestrial, Min (Type Dobros S/N - CBM3303) Surface Observations
13/SEP/2000 REPLACE Thermometer, Terrestrial, Min (Now Dobros S/N - CBM3303) Surface Observations

Visibility (No Electronic History)

Soil Temperature 5cm (No Electronic History)

Sub Surface Temperature (No Electronic History)

Electrical Conductivity (No Electronic History)

Oxygen Content (No Electronic History)

RF Reflectivity (No Electronic History)

Total Column Ozone Amount (No Electronic History)

Pressure

01/JAN/1941 INSTALL Barometer (Type Kew pattern mercury S/N - 2015) Surface Observations
24/JUN/1997 INSTALL Barometer (Type Vaisala PA11A S/N - S0920004) Surface Observations
08/JAN/1998 REMOVE Barometer (Type Vaisala PA11A S/N - S0920004) Surface Observations
01/OCT/2014 REMOVE Barometer (Type Vaisala PA11A S/N - T1110002) Surface Observations
01/NOV/1989 REPLACE Barometer (Now Vaisala PA11 S/N - 136617) Surface Observations
15/APR/1997 REPLACE Barometer (Now Vaisala PA11A S/N - 4060012) Surface Observations
08/JAN/1998 REPLACE Barometer (Now Vaisala PA11A S/N - 667127) Surface Observations
15/OCT/2003 REPLACE Barometer (Now Vaisala PA11A S/N - T1110002) Surface Observations

Evaporation

01/MAY/1969 INSTALL Evaporation Pan (Type Class A S/N - NONE) Surface Observations
19/MAR/2024 REMOVE Evaporation Pan (Type Class A S/N - NONE) Surface Observations
15/APR/2011 REPLACE Evaporation Pan (Now Class A S/N - NONE) Surface Observations

Rainfall

01/OCT/1964 INSTALL Pluviograph (Type Dines syphoning S/N - Unknown) Rainfall Intensity
08/JUL/1996 REMOVE Pluviograph (Type Dines syphoning S/N - Unknown) Rainfall Intensity
01/JAN/1887 INSTALL Raingauge (Type 203 mm (8in) - 200mm capacity S/N - NONE) Surface Observations
08/JUL/1996 INSTALL Raingauge (Type HS TB3A-0.2 S/N - 95-116) Rainfall Intensity
15/DEC/2014 REMOVE Raingauge (Type Rimco 7499 TBRG S/N - 81137) Rainfall Intensity
25/JUL/2008 REPLACE Raingauge (Now Rimco 7499 TBRG S/N - 81137) Rainfall Intensity
13/MAY/2000 REPLACE Raingauge (Now Rimco 8020 TBRG S/N - 78069) Rainfall Intensity

River Height (No Electronic History)

Solar Radiation (No Electronic History)

Solar Radiation (Direct) (No Electronic History)

Turbidity (No Electronic History)

Sea Water Level (No Electronic History)

Sea Water Temperature (No Electronic History)

Wind Speed

26/JUL/1990 INSTALL Anemometer (Type Dwyer on mast S/N - Unknown) Surface Observations
05/SEP/2006 INSTALL Anemometer (Type Kestrel 1000 S/N - 1661040) Surface Observations
01/JAN/1927 INSTALL Anemometer (Type Wind Vane S/N - NONE) Surface Observations
08/MAY/2005 REMOVE Anemometer (Type Dwyer on mast S/N - Unknown) Surface Observations
01/OCT/2014 REMOVE Anemometer (Type Kestrel 1000 S/N - 1761796) Surface Observations

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
Current Status:							Still open
Metadata compiled:							27 JUL 2025

Station Equipment History (continued)

Equipment Install/Remove(Continued)

01/OCT/2014 REMOVE Anemometer (Type Wind Vane S/N - NONE) Surface Observations
13/OCT/2010 REPLACE Anemometer (Now Kestrel 1000 S/N - 1761796) Surface Observations

Air Temperature

01/JAN/1894 INSTALL Thermometer, Mercury, Dry Bulb (Type Dobbie S/N - 1852) Surface Observations
01/OCT/2014 REMOVE Thermometer, Mercury, Dry Bulb (Type Dobbie S/N - 1852) Surface Observations
26/MAY/2002 REPLACE Thermometer, Mercury, Dry Bulb (Now Dobbie S/N - 15916) Surface Observations
29/JUL/2004 REPLACE Thermometer, Mercury, Dry Bulb (Now Dobbie S/N - 1852) Surface Observations

Surface Inclination (No Electronic History)

The following table summarises information on field performance checks available electronically over the period indicated. The number of instances an instrument was found to fail field performance checks should only be used as a guide. A system of data quality flags is implemented by the Bureau of Meteorology to indicate the data quality of an observation as determined by a multi-stage quality control process.

Available Date Range	Element	Fail Field Performance Check
04/MAY/2001 - 28/APR/2014	Wind Direction	2
04/MAY/2001 - 28/APR/2014	Wet Bulb Temperature	0
04/MAY/2001 - 28/APR/2014	Maximum Temperature	1
04/MAY/2001 - 28/APR/2014	Minimum Temperature	1
04/MAY/2001 - 17/AUG/2006	Terrestrial Minimum Temperature	0
14/MAY/1998 - 28/APR/2014	Pressure	0
04/MAY/2001 - 27/SEP/2019	Evaporation	0
14/MAY/1998 - 27/SEP/2019	Rainfall	2
04/MAY/2001 - 28/APR/2014	Wind Speed	2
04/MAY/2001 - 28/APR/2014	Air Temperature	1

Station Detail Changes

09/MAY/2006 CLASSIFICATION Category D (TAF D) ENDED 05-03-2015
01/JUL/2018 CLASSIFICATION HQ RAINFALL (HQRain)
30/AUG/2021 CLASSIFICATION Mastered in EAMS (EAMS)
01/MAY/1989 CLASSIFICATION National Benchmark Network for Agrometeorology (NBNA) ENDED 01-10-2014
01/JUL/2017 CLASSIFICATION Observing Operations Hub - Brisbane (OOH-B)
14/FEB/1997 CLASSIFICATION Regional Basic Synoptic Network (RBSN) ENDED 01-10-2014
01/JUL/2017 CLASSIFICATION SLS Flood forecasting priority “ Low (FWP-L)
27/SEP/2019 OBJECT - (jtaylor2) Diagram/SITEPLAN
27/SEP/2019 OBJECT - (jtaylor2) Photo/EAST
27/SEP/2019 OBJECT - (jtaylor2) Photo/GENERAL STATION
27/SEP/2019 OBJECT - (jtaylor2) Photo/NORTH
27/SEP/2019 OBJECT - (jtaylor2) Photo/SOUTH
27/SEP/2019 OBJECT - (jtaylor2) Photo/WEST
03/AUG/2012 OBJECT Document/COOP contract revised 2012
16/JUL/2012 OBJECT Document/Coop review 2012 letter
20/JUL/2016 OBJECT Document/Distance of Apt AWS from EVAP site

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP		Location:	WINDORAH EVAP		State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:	
Current Status:							Still open
Metadata compiled:							27 JUL 2025

Station Equipment History (continued)

Station Detail Changes(Continued)

19/FEB/2015 OBJECT Document/SITE LEASE
24/APR/2007 OBJECT Document/SKYLINE DATA
28/APR/2014 OBJECT Document/SKYLINE DATA
26/MAY/2002 OBJECT Document/SKYLINE DATA
02/MAY/2012 OBJECT Document/SKYLINE DATA
02/MAY/2012 OBJECT Document/Windorah XY
23/MAR/2022 STATION - (jtaylor2) latitude Changed to -25.419722
23/MAR/2022 STATION - (jtaylor2) latlon_deriv Changed to GPS
23/MAR/2022 STATION - (jtaylor2) latlon_error Changed to 5
23/MAR/2022 STATION - (jtaylor2) longitude Changed to 142.659444
01/JAN/1887 STATION - (nondb seeding) Opened
01/JAN/1887 STATION - (nondb seeding) latitude Changed to -25.4228
01/JAN/1887 STATION - (nondb seeding) longitude Changed to 142.6564
01/JAN/1887 STATION - (nondb seeding) name Changed to WINDORAH POST OFFICE
01/JAN/1887 STATION - (nondb seeding) wmo_num Changed to 94488
01/OCT/2014 STATION aviation_id Changed to
01/JAN/1887 STATION aviation_id Changed to
20/APR/2005 STATION aviation_id Changed to YWDH
18/NOV/2014 STATION bar_ht Changed to
01/JAN/1887 STATION bar_ht Changed to 128.6
18/NOV/2014 STATION bar_ht_deriv Changed to
01/JAN/1887 STATION bar_ht_deriv Changed to SURVEY
18/NOV/2014 STATION latitude Changed to -25.41995
01/JAN/1887 STATION latlon_deriv Changed to GPS
18/NOV/2014 STATION latlon_deriv Changed to GPS
18/NOV/2014 STATION latlon_error Changed to 4
18/NOV/2014 STATION longitude Changed to 142.65944
14/MAY/1998 STATION lu_0_100m Changed to Small town < 1000 population
14/MAY/1998 STATION lu_100m_1km Changed to Small town < 1000 population
14/MAY/1998 STATION lu_1km_10km Changed to Open farmland, grassland or tundra
18/NOV/2014 STATION name Changed to WINDORAH EVAP
14/MAY/1998 STATION soil_type Changed to red soil
01/JAN/1887 STATION stn_ht Changed to 126.3
18/NOV/2014 STATION stn_ht Changed to 132
18/NOV/2014 STATION stn_ht_deriv Changed to DEM 3 Sec SRTM
01/JAN/1887 STATION stn_ht_deriv Changed to SURVEY
18/NOV/2014 STATION surface_type Changed to fully covered by grass
14/MAY/1998 STATION surface_type Changed to mostly covered by grass
08/MAY/2005 STATION surface_type Changed to partly covered by grass
01/OCT/2014 STATION wmo_num Changed to

System Changes

15/DEC/2014 SYSTEM Rainfall Intensity Ceased
01/OCT/1964 SYSTEM Rainfall Intensity Commenced

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.



Extended Climatological Station Metadata
All History

Station:	WINDORAH EVAP			Location:	WINDORAH EVAP			State:	QLD
Bureau No.:	038024	WMO No.:	?	Aviation ID:	NO ID	Opened:	01 Jan 1887	Current Status:	Still open
Latitude:	-25.4197	Longitude:	142.6594	Elevation:	132 m	Barometer Elev:		Metadata compiled:	27 JUL 2025

Station Equipment History (continued)

System Changes(Continued)

01/JAN/1887 SYSTEM Surface Observations Commenced

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Notes on these metadata

The following notes have been compiled to assist with interpreting the metadata provided in this document. These notes are subject to change as the network evolves. Changes in station-specific metadata occur more frequently, both as recent changes are recorded and historical information is transferred from paper file to electronic database.

Reliability of the metadata

The Commonwealth Bureau of Meteorology maintains information on more than 20,000 stations which have operated since observations began in the mid 1800s. The amount of information available for each of these sites and its associated uncertainty are influenced by a number of factors including the type and purpose of the station and the time over which it operated.

Early information about stations was held only on paper file. In 1998 a corporate electronic database was established to help maintain information about the network and its components. The number of parameters recorded about a station is now much greater than before this database was established. The national database has also helped improve consistency in the metadata through the implementation of predefined fields. As a result, and through the refinement of operating procedures, station metadata recorded since 1998 are of a higher overall standard than previously, although occasional omissions and errors are still possible.

The Bureau is part way through a task of entering historical information held on paper file into the corporate database. **Until this process is completed there will remain large gaps in the information contained in these metadata documents and considerable caution should be used when deriving conclusions from the metadata.** As an example, two consecutive entries about a rain gauge dated 50 years apart may appear in the equipment metadata. This may either mean that nothing happened to that instrument over the 50 years, or that information for the intervening period has yet to be entered into the database. Similarly, if no information was available about instruments at a site when it was first established, fields which were required to have a value present may have used the earliest information available as a best-guess estimate. Sometimes this was the metadata current when the database was established in 1998. In some instances there may be gaps in metadata relevant to the post 1998 period.

For the above reasons it is recommended that all metadata prior to 1998 be considered as indicative only, and used with caution, unless it has been quality controlled. The Bureau of Meteorology should be contacted if further information or confirmation of the data is required. Depending on the nature of the inquiry there may be a fee associated with this request. Contact details are provided in the telephone book for each capital city or the Bureau's web site at:
<http://www.bom.gov.au>

The following pages contain explanatory notes for selected terms found in this document.

Station Number

The Bureau of Meteorology station number uniquely specifies a station and is not intended to change over time, although on very rare occasions a station number may change or be deleted from the record (usually to correct an error). Generally a new station number is established if an existing station changes in a way that would affect the climate data record for that site (measured in terms of air temperature and precipitation). Significant station moves are an example of this.

Some stations also possess a World Meteorological Organization (WMO) station number. The WMO number is different to the Bureau of Meteorology number. It also uniquely specifies a station at any given time but can be reassigned to another station if the new station takes priority in the global reporting network. Only selected stations will have a WMO number. Significant stations may maintain their WMO number for many decades.

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.



Notes on these metadata

Network Classification

SUPPORTING the BASIC CLIMATE SERVICE
Global Climate Observing System (GCOS)
GCOS Upper Air Network (GUAN)
GCOS Surface Network (GSN)
National Climate Network {not yet assigned}
Reference Climate Stations (RCS)
Regional Basic Climatological Network (RBCN)
CLIMAT Stations (CLC)
CLIMAT TEMP Stations (CLT)
SUPPORTING the NATIONAL WEATHER WATCH SYSTEM
WMO Global Observing System (GOS)
GOS Upper Air Network
GOS Satellite Network
Global Atmospheric Watch
Background Atmospheric Pollution Monitoring Network (BAPMON)
Basic Ozone Network
Basic Solar and Terrestrial Radiation Network
Regional Basic Synoptic Network (RBSN)
WMO Global Oceanic Observing System (GOOS)
SUPPORTING the BASIC WEATHER SERVICE (BWS)
BWS Land Network
Significant Land Locations
Capital City Mesonets
National Benchmark Network for Agrometeorology (NBNA)
BWS Marine Network
Significant Coastal Locations
Open Ocean Network
BWS Upper Air Network
Major Significant Locations
BWS Remote Sensing Network
Weather Watch Radar Network
Fire Weather Wind Mesonets
High Resolution Satellite
SUPPORTING the BASIC HYDROLOGICAL SERVICE
Regional Flood Warning Network
Water Resources Assessment Network
Global Hydrological Network
Global Terrestrial Observing System (GTOS)
World Hydrological Cycle Observing System (WHYCOS)
National Hydrological Network

Networks of stations are defined for a variety of purposes (as defined in above table).

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.

Notes on these metadata

Network Classification Continued....

Stations may be included in several different networks, which may change over time. The table on the previous page lists current network classifications related to the scientific purpose of the network. Some of these networks - the GCOS network for instance - are components of a global network. Entries in the database for some networks may not be complete, thus not properly representing the status of the network. The composition of the network will usually change over time. While several of the networks have international significance, other network classifications have been developed to aid operational management.

Station Purpose

The station purpose can be classified according to the observation program listed below. Parameters in brackets list some of the various different configurations which occur.

- Synoptic [Seasonal, River Height, Climatological, Telegraphic Rain, Aeronautical, Upper Air]
- Climatological [Seasonal, Telegraphic Rain]
- Aeronautical
- Rainfall [River Height]
- River Height
- Telegraphic Rain [Non-Telegraphic River Height, Telegraphic River Height]
- Non-Telegraphic Rain [Telegraphic River Height]
- Evaporation [Rainfall, River Height, Telegraphic River Height, Non-Telegraphic River Height, Telegraphic Rain, Non-Telegraphic Rain]
- Pluviograph [Rainfall, Telegraphic Rain, Non-Telegraphic Rain, River Height, Telegraphic River Height, Non-Telegraphic River Height]
- Radiation
- Lightning Flash Counter
- Public Information
- Local Conditions
- Radar Site
- Unclassified
- No Routine Observations

Note: Telegraphic observations are those which are sent by some electronic means be it a phone or telegram to the responsible Bureau office. It is a term which is historically linked to analogue non automatic data transmission.

Station Observation Program Summary

Surface Observations

The following terms are used to describe the frequency of surface observations at a site. Historical observation programs will typically be missing for many sites until the database is backfilled with information.

Set a)

- Continuous Program
 - More than half hourly observations sent (eg an automatic weather station {AWS} which continuously transmits 10 minute observations). This will automatically include half hourly and hourly observations programs.
- Half hourly observations
 - Half hourly observations sent. This will automatically include hourly observations.
- Hourly observations
 - Hourly observations sent only. Stations report on non-synoptic hours (ie. 0100, 0200, 0400, 0500, etc)

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.

Notes on these metadata

Surface observations continued....

Set b)

- Performed
 - Observations performed, instruments read and observations recorded
- Reported
 - Observations performed, instruments read and reported real time
- Seasonal
 - The program may only be performed during a defined season (such as Fire Weather observations) or the routine program may increase in reporting frequency and/or parameters. The program dates are currently modified at the start and end of each season for stations performing seasonal observations. Historically this was not always the case.

Current Station Equipment Summary

Equipment listed in this metadata product is catalogued under one of systems listed below, appropriate to its application. The "Infrastructure" category has been included since it contains information about the mast height of an anemometer (if present).

- Flood Warning
- Infrastructure
- Radiation
- Rainfall Intensity
- Surface Observations
- Upper Air
- Weather Watch {RADAR}

Station Equipment History

Equipment Install/Remove

One of four types of actions can be performed on an instrument in this listing:

Install - A new instrument is installed at the site. This can be either a completely new addition (eg the first barometer at the site), or the replacement of an existing instrument with a different type (eg replacing mercury barometer with electronic barometer)

Remove - An instrument can be removed either when it is no longer necessary to measure a particular element, or when the element is to be measured by an instrument of a different type (see under "Install" above)

Replace - This occurs when one instrument is replaced with another of the same type (eg Kew pattern mercury barometer replacing another Kew pattern mercury barometer)

Share - The same instrument is used for observations under two (or more) systems (eg a rain gauge may be used within both Surface Observations and Rainfall Intensity systems)

Unshare - The instrument is no longer shared between systems

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.

Notes on these metadata

Calibration

During a site inspection an instrument will be calibrated as either being within or not within the specified tolerance in accuracy.

Where a quantitative calibration result can be achieved by comparison to a transfer standard (eg barometer comparisons and tipping bucket rain gauge calibrations), the instrument will be recorded as being within or outside the required tolerance. Instruments (such as 203mm rain gauges, screens and evaporation pans) where quantitative calibrations cannot be derived should be regarded as meeting specifications when the instrument is in 'good working order'.

This product provides a summary table of the number of times an instrument was found to be out of calibration

Station Detail Changes

This set of metadata indicates when some aspect of the general information about a station has changed.

- STATION

Metadata which are categorised as pertaining to STATION are items of (textual) information describing a specific attribute of the station. A reference to (nondB seeding) indicates initial information of this field has been sourced from a previous database.

Station position

- Latitude and longitude

Derivation of station latitude and longitude, defined by the location of the rain gauge when it is present, has changed over time. Current practice is to locate or verify open and operational station latitude and longitude based on Global Positioning System equipment. Methods used to locate a station as described in this product (latlon_deriv) are as follows: GPS, MAP 1:10000, MAP 1:12500, MAP 1:25000, MAP 1:50000, MAP 1:100000, MAP 1:250000, SURVEY, and Unknown (which is more commonly represented by a null value). The field latlon_error should be used with caution as the method of determining this value has been interpreted in different ways over time.

- Height

Determination of heights for observing sites is by survey where possible. Otherwise height may be determined using a Digital Aneroid Barometer and a known surveyed point, or derived from map contours. The source of height is provided in the corresponding parameter with a suffix of "_deriv".

Heights which may appear in these metadata are:

- aero_ht
 - The official elevation of the aerodrome which normally corresponds to the altitude of the highest threshold of the runways at that airport;
- bar_ht
 - this represents the height of the mercury barometer cistern or the digital aneroid barometer above mean sea level (MSL);
- stn_ht
 - this normally represents the height of the rain gauge above MSL

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.

Notes on these metadata

- Land Use

To assist the long term understanding of climate change it is important to be able to determine the differences over time which are attributed to variations in the climate. Since land use has an effect on the micro climate around the site, and changes in land use will therefore affect the climate record, it is important that the characteristics of the site are monitored. Soil types are recorded as they affect the land use and also add to the knowledge of the site details.

Defined Land use Types.

- Non-vegetated (barren, desert)
- Coastal or Island
- Forest
- Open farmland, grassland or tundra
- Small town, less than 1000 population
- Town 1000 to 10,000 population
- City area with buildings less than 10 metres (3 stories)
- City area with buildings greater than 10 metres (3 stories)
- Airport

The land use code is entered on the station inspection form in the ranges 0 to 100 m, 100 to 1 km and 1km to 10 km; ie:

- lu_0_100m: Land Use 0 to 100 metres from the enclosure
- lu_100m_1km: Land Use 100 metres to 1 kilometre
- lu_1km_10km: Land Use 1 kilometre to 10 kilometres

Defined Soil Type (At Enclosure).

- unable to determine
- sand
- black soil
- clay
- rock
- red soil
- other

Surface Type (At Enclosure).

- unable to determine
- fully covered by grass
- mostly covered by grass
- partly covered by grass
- bare ground
- sand
- concrete
- asphalt
- rock
- other

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on climatedata@bom.gov.au

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2025, Bureau of Meteorology.