

Basic Climatological Station Metadata Current status

Metadata compiled: 27 JUL 2025

Station: BARRABA (CLIFTON LANE)


Bureau of Meteorology station number: 054003 Bureau of Meteorology district name: Northwest Slopes (N)

State: NSW

World Meteorological Organization number: 94761

Network Classification: Station purpose: Synoptic **Automatic Weather Station:**

Identification: NO ID



		Current Station Loca	ition	
Latitude	Decimal	-30.3833	Hour Min Sec	30°22'60"S
Longitude	Decimal	150.6083	Hour Min Sec	150°36'30"E
Station Height	499 m	Barometer Height		
Method of station	n geographi	GPS		

Year opened: 1881 Status: Open

Station summary

No summary for this site has been written as yet.	
_	




Basic Climatological Station Metadata Current status

Station:	BARRABA (CLIFTON LANE	E)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025

Observation summary

The table below indicates the approximate completeness of the record for individual element types within the Australian Data Archive for Meteorology. For elements not listed see the note below.

Completeness **DAILY DATA HOLDINGS** 0% 100%



HOURLY DATA HOLDINGS - from 1 to 24 observations per day





Basic Climatological Station Metadata

Current status

Station:	BARRABA (CLIFTON LANE	E)	Location: BARRABA (CLIFTON LANE)				State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025

THERE ARE NO RAINFALL INTENSITY DATA HOLDINGS

THERE ARE NO ONE-MINUTE DATA HOLDINGS

THERE ARE NO HALF-HOURLY DATA HOLDINGS

THERE ARE NO UPPER-AIR EDT DATA HOLDINGS

Holdings calculated up to 01 Jul 2025

The % complete figure is the completeness of observations averaged over all months of record, for the given station and observation type, taking gaps into account. For hourly holdings, the completeness is relative to the maximum number of daily observations for the site each month, and is therefore an estimate. For daily holdings, the completeness figure shown is exact.

The single days missed figure is the total number of days for which no observation was received, not including full missed months. The full months missed figure is the total of full month gaps over the period of record. Where an element is not included assumptions can generally be made about availability, and the list to use has been suggested below.

Unlisted element to use

Minimum air temperature Maximum air temperature

Wet bulb temperature Dew point
Soil temperature at 20, 50 & 100cm 10cm soil temperature

Relative humidity Dew point

Minimum temp. of water in evaporimeter Evaporimeter - max water temp


Visual observations eg. weather, visibility Total cloud amount

Sea related observations Sea state



Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 02/05/2019(most recent)





Station:	BARRABA (CLIFTON LANE	E)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 23/07/2018





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 24/11/2016





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 17/12/2012





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025


${\color{red} \textbf{Instrument Location and Surrounding Features}}_{23/05/2011}$





Station:	BARRABA (CLIFTON LANE	Ε)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025


${\bf Instrument\ Location\ and\ Surrounding\ Features}\atop{{22/03/2010}}$





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	on: BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 15/07/2006





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025


${\bf Instrument\ Location\ and\ Surrounding\ Features} \\ {\bf 1/05/2001}$





Station:	BARRABA (CLIFTON LANE	E)	Location:	BARRAE	A (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	viation ID: NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation: 499 m Barometer Elev:				Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 03/02/2000





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRAE	BA (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	viation ID: NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation: 499 m Barometer Elev:				Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 24/03/1998





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRAE	A (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	on ID: NO ID			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	Elevation: 499 m Barometer Elev:			Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 11/03/1996





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRAE	A (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	on ID: NO ID			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	Elevation: 499 m Barometer Elev:			Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 23/04/1993





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRAE	BA (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	viation ID: NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation: 499 m Barometer Elev:				Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 05/02/1992





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRAE	A (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	on ID: NO ID			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	Elevation: 499 m Barometer Elev:			Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 30/06/1983





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRAE	BA (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	viation ID: NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation: 499 m Barometer Elev:				Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 13/01/1978





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRAE	A (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	on ID: NO ID			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	Elevation: 499 m Barometer Elev:			Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 14/08/1975





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRAE	A (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	on ID: NO ID			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	Elevation: 499 m Barometer Elev:			Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 03/03/1966





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRAE	BA (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	viation ID: NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation: 499 m Barometer Elev:				Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 29/07/1965





Station:	BARRABA (CLIFTON LANE	E)	Location: BARRABA (CLIFTON LANE)			State:	NSW	
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	Elevation: 499 m Barometer Elev:			Metadata compiled:	27 JUL 2025


Instrument Location and Surrounding Features 01/02/1942





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRAE	BA (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	viation ID: NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation: 499 m Barometer Elev:				Metadata compiled:	27 JUL 2025


Skyline Diagram 02/05/2019(most recent)





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	ID: NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	on: 499 m Barometer Elev:			Metadata compiled:	27 JUL 2025


Skyline Diagram





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	: BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	O: NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	2: 499 m Barometer Elev:			Metadata compiled:	27 JUL 2025


Skyline Diagram 22/03/2010





Station:	BARRABA (CLIFTON LANE	Ε)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m Barometer Elev:			Metadata compiled:	27 JUL 2025


Skyline Diagram 05/06/2004





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	ID: NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	on: 499 m Barometer Elev:			Metadata compiled:	27 JUL 2025


Skyline Diagram 20/08/1998





Station:	BARRABA (0	CLIFTON LANE	E)	Location:	BARRABA (CLIFTON LANE)			State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	ID: NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	on: 499 m Barometer Elev:			Metadata compiled:	27 JUL 2025

Skyline Diagram





Station:	BARRABA (CLIFTON LANE)			Location: BARRABA (CLIFTON LANE)				State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID Opened: 01 Jan 1881			Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m Barometer Elev:			Metadata compiled:	27 JUL 2025

Station Observation Program Summary (Surface Observations) from 01/03/1881 to 03/03/1966

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	1	-	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	-	-	Y	-	-	-	-
Surface Observation	REPORTED	-	-	-	Y	-	-	-	-
Surface Observation	SEASONAL	-	1	ı	-	ı	1	ı	-

Station Observation Program Summary (Surface Observations) from 03/03/1966 to 01/01/1971

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	1	-	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	-	-	Y	-	Y	-	-
Surface Observation	REPORTED	-	-	-	Y	-	-	-	-
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-

Station Observation Program Summary (Surface Observations) from 01/01/1971 to 01/11/1981

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	=	=	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	-	-	Y	-	Y	-	-
Surface Observation	REPORTED	-	-	-	Y	-	Y	-	-
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-

Station Observation Program Summary (Surface Observations) from 01/11/1981 to 23/03/1996

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	1	-	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	-	-	Y	-	-	-	-
Surface Observation	REPORTED	-	-	-	Y	-	-	-	-
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-



Station:	BARRABA (CLIFTON LANE)			Location:	BARRAE	BA (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID	Opened:	Current Status:	Still open	
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025

Station Observation Program Summary (Surface Observations) from 23/03/1996 to 01/04/1996

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	=	-	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	-	-	Y	-	-	-	-
Surface Observation	REPORTED	-	-	-	Y	-	-	-	-
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-

Station Observation Program Summary (Surface Observations) from 01/04/1996 to 01/08/2015

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	=	=	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	-	-	Y	-	Y	-	-
Surface Observation	REPORTED	-	-	-	Y	-	Y	-	-
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-

Station Observation Program Summary (Surface Observations) 27 JUL 2025 (most recent)

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	-	-	-

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	-	-	-	Y	-	-	-	-
Surface Observation	REPORTED	-	-	-	Y	-	-	-	-
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-



Station:	BARRABA (CLIFTON LANE)			Location:	BARRAE	BA (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID	Opened:	Current Status:	Still open	
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025

Station Equipment History

Equipment Install/Remove

Cloud Height (No Electronic History)

Humidity (No Electronic History)

Pressure Trend (No Electronic History)

Lightning (No Electronic History)

Sea Surface Temperature (No Electronic History)

Magnetic Bearing (No Electronic History)

Wind Direction

03/DEC/2016 INSTALL Anemometer (Type Kestrel 1000 S/N - 362803) Surface Observations

03/NOV/1939 INSTALL Anemometer (Type Wind Vane S/N - NONE) Surface Observations

02/MAY/2019 REMOVE Anemometer (Type Wind Vane S/N - NONE) Surface Observations

08/JAN/1990 REPLACE Anemometer (Now Wind Vane S/N - NONE) Surface Observations

Wet Bulb Temperature

03/MAR/1966 INSTALL Thermometer, Mercury, Wet Bulb (Type Dobbie S/N - 0204) Surface Observations

29/JUL/1999 REPLACE Thermometer, Mercury, Wet Bulb (Now Dobbie S/N - 16747) Surface Observations

01/JAN/1973 REPLACE Thermometer, Mercury, Wet Bulb (Now Dobbie S/N - 2006) Surface Observations

22/NOV/1971 REPLACE Thermometer, Mercury, Wet Bulb (Now Dobbie S/N - 2129) Surface Observations

Solar Radiation (Long Wave) (No Electronic History)

Spectral Radiation (No Electronic History)

Maximum Temperature

03/MAR/1966 INSTALL Thermometer, Mercury, Max (Type Dobbie S/N - 6094) Surface Observations

11/JUL/1997 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 14792) Surface Observations

13/OCT/2005 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 44378) Surface Observations

17/JUN/1966 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 6226) Surface Observations

11/NOV/1970 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 7790) Surface Observations

02/NOV/1970 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 7844) Surface Observations

31/AUG/1970 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 7864) Surface Observations

19/AUG/1971 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 7997) Surface Observations

01/JAN/1973 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 887) Surface Observations

15/OCT/1971 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - NONE) Surface Observations

07/APR/1986 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - NONE) Surface Observations

22/SEP/2014 REPLACE Thermometer, Mercury, Max (Now WIKA S/N - 25992) Surface Observations

25/AUG/2012 REPLACE Thermometer, Mercury, Max (Now WIKA S/N - 32188) Surface Observations

Soil Temperature 10cm (No Electronic History)

Soil Temperature 20cm (No Electronic History)

Soil Temperature 50cm (No Electronic History)

Snow Height (No Electronic History)

Soil Temperature 100cm (No Electronic History)

Sunshine Hours (No Electronic History)

Wind Run (No Electronic History)

Minimum Temperature

21/MAY/2013 INSTALL Thermometer, Alcohol, Min (Type Dobbie S/N - 12753) Surface Observations

03/MAR/1966 INSTALL Thermometer, Alcohol, Min (Type Dobbie S/N - 5020) Surface Observations

21/MAY/2013 REMOVE Thermometer, Alcohol, Min (Type WIKA S/N - 31173) Surface Observations



Station:	BARRABA (CLIFTON LANE)			Location:	BARRAE	A (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID	Opened:	Current Status:	Still open	
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025

Station Equipment History (continued)

```
Equipment Install/Remove(Continued)
09/MAY/2018 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 15594) Surface Observations
06/MAR/2014 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 19477) Surface Observations
01/JAN/1973 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 2096) Surface Observations
10/JUN/1974 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 2096) Surface Observations
29/JUN/2015 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 22115) Surface Observations
08/MAY/2012 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 22169) Surface Observations
23/NOV/2015 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 2296) Surface Observations
31/MAY/2013 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 3201) Surface Observations
20/OCT/1982 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 3863) Surface Observations
19/APR/2012 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 43025) Surface Observations
25/NOV/2012 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 43027) Surface Observations
31/OCT/1968 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 6138) Surface Observations
05/FEB/2014 REPLACE Thermometer, Alcohol, Min (Now WIKA S/N - 30436) Surface Observations
17/DEC/2012 REPLACE Thermometer, Alcohol, Min (Now WIKA S/N - 31173) Surface Observations
08/NOV/2010 REPLACE Thermometer, Alcohol, Min (Now WIKA S/N - 31821) Surface Observations
24/JUL/2012 REPLACE Thermometer, Alcohol, Min (Now WIKA S/N - 31823) Surface Observations
18/JUL/2013 REPLACE Thermometer, Alcohol, Min (Now WIKA S/N - 31898) Surface Observations
Terrestial Minimum Temperature (No Electronic History)
Visibility (No Electronic History)
Soil Temperature 5cm (No Electronic History)
Sub Surface Temperature (No Electronic History)
Electrical Conductivity (No Electronic History)
Oxygen Content (No Electronic History)
RF Reflectivity (No Electronic History)
Total Column Ozone Amount (No Electronic History)
Pressure (No Electronic History)
Evaporation (No Electronic History)
Rainfall
01/MAR/1881 INSTALL Raingauge (Type 203 mm (8in) - 200mm capacity S/N - NONE) Surface Observations
01/FEB/1995 INSTALL Raingauge (Type HS TB3B-0.2 S/N - 94-170) Flood Warning
04/FEB/1929 REPLACE Raingauge (Now 203 mm (8in) - 200mm capacity S/N - NONE) Surface Observations
27/MAY/1959 REPLACE Raingauge (Now 203 mm (8in) - 200mm capacity S/N - NONE) Surface Observations
14/JUL/1977 REPLACE Raingauge (Now 203 mm (8in) - 200mm capacity S/N - NONE) Surface Observations
20/DEC/2000 REPLACE Raingauge (Now 203 mm (8in) - 200mm capacity S/N - NONE) Surface Observations
18/JAN/2018 REPLACE Raingauge (Now HS TB3B-0.2 S/N - 17-00024) Flood Warning
River Height (No Electronic History)
Solar Radiation (No Electronic History)
Solar Radiation (Direct) (No Electronic History)
Turbidity (No Electronic History)
Sea Water Level (No Electronic History)
Sea Water Temperature (No Electronic History)
Wind Speed
```

03/DEC/2016 INSTALL Anemometer (Type Kestrel 1000 S/N - 362803) Surface Observations



Station:	BARRABA (CLIFTON LANE)			Location:	BARRAE	A (CLIFTON LANE	Ε)	State:	NSW
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID	Opened:	Current Status:	Still open	
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025

Station Equipment History (continued)

Equipment Install/Remove(Continued)

03/NOV/1939 INSTALL Anemometer (Type Wind Vane S/N - NONE) Surface Observations

02/MAY/2019 REMOVE Anemometer (Type Wind Vane S/N - NONE) Surface Observations

08/JAN/1990 REPLACE Anemometer (Now Wind Vane S/N - NONE) Surface Observations

Air Temperature

03/MAR/1966 INSTALL Thermometer, Mercury, Dry Bulb (Type Dobbie S/N - 0202) Surface Observations

09/APR/1998 REPLACE Thermometer, Mercury, Dry Bulb (Now Dobbie S/N - 15779) Surface Observations

22/NOV/1971 REPLACE Thermometer, Mercury, Dry Bulb (Now Dobbie S/N - 2076) Surface Observations

01/JAN/1973 REPLACE Thermometer, Mercury, Dry Bulb (Now Dobbie S/N - 2307) Surface Observations

Surface Inclination (No Electronic History)

The following table summarises information on field performance checks available electronically over the period indicated. The number of instances an instrument was found to fail field performance checks should only be used as a guide. A system of data quality flags is implemented by the Bureau of Meteorology to indicate the data quality of an observation as determined by a mutli-stage quality control process.

Available Date Range	Element	Fail Field Performance Check 2	
29/JUL/1965 - 10/DEC/2013	Wind Direction		
03/MAR/1966 - 02/MAY/2019	Wet Bulb Temperature	2	
03/MAR/1966 - 02/MAY/2019	Maximum Temperature	1	
03/MAR/1966 - 02/MAY/2019	Minimum Temperature	1	
29/JUL/1965 - 02/MAY/2019	Rainfall	5	
29/JUL/1965 - 10/DEC/2013	Wind Speed	2	
03/MAR/1966 - 02/MAY/2019	Air Temperature	0	

Station Detail Changes

01/JUL/2018 CLASSIFICATION HQ RAINFALL (HQRAIN)

02/AUG/2021 CLASSIFICATION Mastered in EAMS (EAMS)

01/JUL/2017 CLASSIFICATION Observing Operations Hub - Sydney (OOH-S)

01/JUL/2017 CLASSIFICATION SLS Flood forecasting priority ‑ Medium (FWP-M)

26/FEB/2021 OBJECT Document/ASOS CONFIGURATION

08/MAY/2019 OBJECT Document/Barraba Co-Op Observer Contract

22/MAR/2010 OBJECT Document/SKYLINE DATA

24/NOV/2016 OBJECT Document/SKYLINE DATA

02/MAY/2019 OBJECT Document/SKYLINE DATA

05/JUN/2004 OBJECT Document/Skyline points

01/JAN/1881 STATION - (nondb seeding) Opened

01/JAN/1881 STATION - (nondb seeding) name Changed to BARRABA POST OFFICE

01/JAN/1881 STATION - (nondb seeding) wmo_num Changed to 94761

01/JAN/1881 STATION latitude Changed to -30.37805Seeded from NonDb

02/MAY/2019 STATION latitude Changed to -30.3833

01/JAN/1881 STATION latlon_deriv Changed to GPS

02/MAY/2019 STATION latlon_deriv Changed to GPS

02/MAY/2019 STATION latlon_error Changed to 3



Station:	BARRABA (CLIFTON LANE	Ε)	Location:	BARRABA (CLIFTON LANE)		State:	NSW	
Bureau No.:	054003	WMO No.:	94761	Aviation ID:	NO ID	Opened:	01 Jan 1881	Current Status:	Still open
Latitude:	-30.3833	Longitude:	150.6083	Elevation:	499 m	Barometer Elev:		Metadata compiled:	27 JUL 2025

Station Equipment History (continued)

Station Detail Changes(Continued)

01/JAN/1881 STATION latlon_error Changed to 6

02/MAY/2019 STATION longitude Changed to 150.6083

01/JAN/1881 STATION longitude Changed to 150.60956Seeded from NonDb

01/JAN/1881 STATION lu_0_100m Changed to Town 1000 to 10,000

01/JAN/1881 STATION lu_100m_1km Changed to Town 1000 to 10,000

01/JAN/1881 STATION lu_1km_10km Changed to Open farmland, grassland or tundra

02/MAY/2019 STATION name Changed to BARRABA (CLIFTON LANE)

01/JAN/1881 STATION soil type Changed to clay

02/MAY/2019 STATION stn_ht Changed to 499

01/JAN/1881 STATION stn_ht Changed to 500

02/MAY/2019 STATION stn_ht_deriv Changed to DEM 3 Sec SRTM

01/JAN/1881 STATION stn_ht_deriv Changed to MAP 1:25 000

02/MAY/2019 STATION surface_type Changed to fully covered by grass

01/JAN/1881 STATION surface_type Changed to mostly covered by grass

System Changes

01/AUG/1970 SYSTEM Flood Warning Commenced

26/APR/2000 SYSTEM Infrastructure Commenced

01/MAR/1881 SYSTEM Surface Observations Commenced



The following notes have been compiled to assist with interpreting the metadata provided in this document. These notes are subject to change as the network evolves. Changes in station-specific metadata occur more frequently, both as recent changes are recorded and historical information is transferred from paper file to electronic database.

Reliability of the metadata

The Commonwealth Bureau of Meteorology maintains information on more than 20,000 stations which have operated since observations began in the mid 1800s. The amount of information available for each of these sites and its associated uncertainty are influenced by a number of factors including the type and purpose of the station and the time over which it operated.

Early information about stations was held only on paper file. In 1998 a corporate electronic database was established to help maintain information about the network and its components. The number of parameters recorded about a station is now much greater than before this database was established. The national database has also helped improve consistency in the metadata through the implementation of predefined fields. As a result, and through the refinement of operating procedures, station metadata recorded since 1998 are of a higher overall standard than previously, although occasional omissions and errors are still possible.

The Bureau is part way through a task of entering historical information held on paper file into the corporate database. Until this process is completed there will remain large gaps in the information contained in these metadata documents and considerable caution should be used when deriving conclusions from the metadata. As an example, two consecutive entries about a rain gauge dated 50 years apart may appear in the equipment metadata. This may either mean that nothing happened to that instrument over the 50 years, or that information for the intervening period has yet to be entered into the database. Similarly, if no information was available about instruments at a site when it was first established, fields which were required to have a value present may have used the earliest information available as a best-guess estimate. Sometimes this was the metadata current when the database was established in 1998. In some instances there may be gaps in metadata relevant to the post 1998 period.

For the above reasons it is recommended that all metadata prior to 1998 be considered as indicative only, and used with caution, unless it has been quality controlled. The Bureau of Meteorology should be contacted if further information or confirmation of the data is required. Depending on the nature of the inquiry there may be a fee associated with this request. Contact details are provided in the telephone book for each capital city or the Bureau's web site at: http://www.bom.gov.au

The following pages contain explanatory notes for selected terms found in this document.

Station Number

The Bureau of Meteorology station number uniquely specifies a station and is not intended to change over time time, although on very rare occasions a station number may change or be deleted from the record (usually to correct an error). Generally a new station number is established if an existing station changes in a way that would affect the climate data record for that site (measured in terms of air temperature and precipitation). Significant station moves are an example of this.

Some stations also possess a World Meteorological Organization (WMO) station number. The WMO number is different to the Bureau of Meteorology number. It also uniquely specifies a station at any given time but can be reassigned to another station if the new station takes priority in the global reporting network. Only selected stations will have a WMO number. Significant stations may maintain their WMO number for many decades.



Network Classification

SUPPORTING the BASIC CLIMATE SERVICE				
Global Climate Observing System (GCOS)				
GCOS Upper Air Network (GUAN)				
GCOS Surface Network (GSN)				
National Climate Network {not yet assigned}				
Reference Climate Stations (RCS)				
Regional Basic Climatological Network (RBCN)				
CLIMAT Stations (CLC)				
CLIMAT TEMP Stations (CLT)				
SUPPORTING the NATIONAL WEATHER WATCH SYSTEM				
WMO Global Observing System (GOS)				
GOS Upper Air Network				
GOS Satellite Network				
Global Atmospheric Watch				
Background Atmospheric Pollution Monitoring Network (BAPMON				
Basic Ozone Network				
Basic Solar and Terrestrial Radiation Network				
Regional Basic Synoptic Network (RBSN)				
WMO Global Oceanic Observing System (GOOS)				
SUPPORTING the BASIC WEATHER SERVICE (BWS)				
BWS Land Network				
Significant Land Locations				
Capital City Mesonets				
National Benchmark Network for Agrometeorology (NBNA)				
BWS Marine Network				
Significant Coastal Loactions				
Open Ocean Network				
BWS Upper Air Network				
Major Significant Locations				
BWS Remote Sensing Network				
Weather Watch Radar Network				
Fire Weather Wind Mesonets				
High Resolution Satellite				
SUPPORTING the BASIC HYDROLOGICAL SERVICE				
Regional Flood Warning Network				
Water Resources Assessment Network				
Global Hydrological Network				
Global Terrestrial Observing System (GTOS)				
World Hydrological Cycle Observing System (WHYCOS)				
National Hydrological Network				

Networks of stations are defined for a variety of purposes (as defined in above table).



Network Classification Continued....

Stations may be included in several different networks, which may change over time. The table on the previous page lists current network classifications related to the scientific purpose of the network. Some of these networks - the GCOS network for instance - are components of a global network. Entries in the database for some networks may not be complete, thus not properly representing the status of the network. The composition of the network will usually change over time. While several of the networks have international significance, other network classifications have been developed to aid operational management.

Station Purpose

The station purpose can be classified according to the observation program listed below. Parameters in brackets list some of the various different configurations which occur.

- Synoptic [Seasonal, River Height, Climatological, Telegraphic Rain, Aeronautical, Upper Air]
- Climatological [Seasonal, Telegraphic Rain]
- Aeronautical
- Rainfall [River Height]
- · River Height
- Telegraphic Rain [Non-Telegraphic River Height, Telegraphic River Height]
- Non-Telegraphic Rain [Telegraphic River Height]
- Evaporation [Rainfall, River Height, Telegraphic River Height, Non-Telegraphic River Height, Telegraphic Rain, Non-Telegraphic Rain]
- Pluviograph [Rainfall, Telegraphic Rain, Non-Telegraphic Rain, River Height, Telegraphic River Height, Non-Telegraphic River Height]
- Radiation
- Lightning Flash Counter
- Public Information
- Local Conditions
- Radar Site
- Unclassified
- No Routine Observations

Note: Telegraphic observations are those which are sent by some electronic means be it a phone or telegram to the responsible Bureau office. It is a term which is historically linked to analogue non automatic data transmission.

Station Observation Program Summary

Surface Observations

The following terms are used to describe the frequency of surface observations at a site. Historical observation programs will typically be missing for many sites until the database is backfilled with information.

Set a)

- Continuous Program
 - More than half hourly observations sent (eg an automatic weather station {AWS} which continuously transmits 10 minute observations). This will automatically include half hourly and hourly observations programs.
- Half hourly observations
 - · Half hourly observations sent. This will automatically include hourly observations.
- Hourly observations
 - · Hourly observations sent only. Stations report on non-synoptic hours (ie. 0100, 0200, 0400, 0500, etc)



Surface observations continued....

Set b)

- Performed
 - · Observations performed, instruments read and observations recorded
- Reported
 - · Observations performed, instruments read and reported real time
- Seasonal
 - The program may only be performed during a defined season (such as Fire Weather observations) or the routine program may increase in reporting frequency and/or parameters. The program dates are currently modified at the start and end of each season for stations performing seasonal observations. Historically this was not always the case.

Current Station Equipment Summary

Equipment listed in this metadata product is catalogued under one of systems listed below, appropriate to its application. The "Infrastructure" category has been included since it contains information about the mast height of an anemometer (if present).

- Flood Warning
- Infrastructure
- Radiation
- · Rainfall Intensity
- Surface Observations
- Upper Air
- Weather Watch {RADAR}

Station Equipment History

Equipment Install/Remove

One of four types of actions can be performed on an instrument in this listing:

Install - A new instrument is installed at the site. This can be either a completely new addition (eg the first barometer at the site), or the replacement of an existing instrument with a different type (eg replacing mercury barometer with electronic barometer)

Remove - An instrument can be removed either when it is no longer necessary to measure a particular element, or when the element is to be measured by an instrument of a different type (see under "Install" above)

Replace - This occurs when one instrument is replaced with another of the same type (eg Kew pattern mercury barometer replacing another Kew pattern mercury barometer)

Share - The same instrument is used for observations under two (or more) systems (eg a rain gauge may be used within both Surface Observations and Rainfall Intensity systems)

Unshare - The instrument is no longer shared between systems



Calibration

During a site inspection an instrument will be calibrated as either being within or not within the specified tolerance in accuracy.

Where a quantative calibration result can be achieved by comparison to a transfer standard (eg barometer comparisons and tipping bucket rain gauge calibrations), the instrument will be recorded as being within or outside the required tolerance. Instruments (such as 203mm rain gauges, screens and evaporation pans) where quantitative calibrations cannot be derived should be regarded as meeting specifications when the instrument is in 'good working order'.

This product provides a summary table of the number of times an instrument was found to be out of calibration

Station Detail Changes

This set of metadata indicates when some aspect of the general information about a station has changed.

- STATION

Metadata which are categorised as pertaining to STATION are items of (textual) information describing a specific attribute of the station. A reference to (nondB seeding) indicates initial information of this field has been sourced from a previous database.

Station position

- Latitude and longitude

Derivation of station latitude and longitude, defined by the location of the rain gauge when it is present, has changed over time. Current practice is to locate or verify open and operational station latitude and longitude based on Global Positioning System equipment. Methods used to locate a station as described in this product (latlon_deriv) are as follows: GPS, MAP 1:10000, MAP 1:2500, MAP 1:25000, MAP 1:50000, MAP 1:100000, MAP 1:250000, SURVEY, and Unknown (which is more commonly represented by a null value). The field latlon_error should be used with caution as the method of determining this value has been interpreted in different ways over time.

- Height

Determination of heights for observing sites is by survey where possible. Otherwise height may be determined using a Digital Aneroid Barometer and a known surveyed point, or derived from map contours. The source of height is provided in the corresponding parameter with a suffix of "_deriv".

Heights which may appear in these metadata are:

- aero_ht
 - The official elevation of the aerodrome which normally corresponds to the altitude of the highest threshold of the runways at that airport;
- bar ht
 - this represents the height of the mercury barometer cistern or the digital aneroid barometer above mean sea level (MSL);
- stn_ht
 - this normally represents the height of the rain gauge above MSL



- Land Use

To assist the long term understanding of climate change it is important to be able to determine the differences over time which are attributed to variations in the climate. Since land use has an effect on the micro climate around the site, and changes in land use will therefore affect the climate record, it is important that the characteristics of the site are monitored. Soil types are recorded as they affect the land use and also add to the knowledge of the site details.

Defined Land use Types.

- Non-vegetated (barren, desert)
- Coastal or Island
- Forest
- Open farmland, grassland or tundra
- Small town, less than 1000 population
- Town 1000 to 10,000 population
- City area with buildings less than 10 metres (3 stories)
- City area with buildings greater than 10 metres (3 stories)
- Airport

The land use code is entered on the station inspection form in the ranges 0 to 100 m, 100 to 1 km and 1km to 10 km; ie:

• lu 0 100m: Land Use 0 to 100 metres from the enclosure

lu_100m_1km: Land Use 100 metres to 1 kilometre
 lu 1km 10km: Land Use 1 kilometre to 10 kilometres

Defined Soil Type (At Enclosure).

- unable to determine
- sand
- · black soil
- clav
- rock
- · red soil
- other

Surface Type (At Enclosure).

- unable to determine
- fully covered by grass
- mostly covered by grass
- partly covered by grass
- · bare ground
- sand
- concrete
- asphalt
- rock
- other

Historical metadata for this site has been quality controlled for accuracy and completeness against available source information. However, users should be aware of the possible unavailability of confident source data and as such this site-specific metadata should be considered accordingly.

Information may not be complete, as backfilling of historical data is incomplete.

Prepared by the Bureau of Meteorology.