



## Basic Climatological Station Metadata

Current status

Metadata compiled: 14 JAN 2008

**Station:** EDINBURGH RAAF

**Bureau of Meteorology station number:** 023083

**Bureau of Meteorology district name:** Adelaide Plains

**State:** SA

**World Meteorological Organization number:** 95676

**Identification:** YPED

**Network Classification:**

**Station purpose:** Synoptic, Aeronautical

**Automatic Weather Station:** Almos



| Current Station Location                        |                |                         |                     |             |
|---|----------------|-------------------------|---------------------|-------------|
| <b>Latitude</b>                                 | <b>Decimal</b> | -34.7111                | <b>Hour Min Sec</b> | 34°43'40"S  |
| <b>Longitude</b>                                | <b>Decimal</b> | 138.6222                | <b>Hour Min Sec</b> | 138°37'20"E |
| <b>Station Height</b>                           | 16.54 m        | <b>Barometer Height</b> | 17.1 m              |             |
| <b>Method of station geographic positioning</b> |                |                         | GPS                 |             |

**Year opened:** 1972

**Status:** Open

## Station summary

No summary for this site has been written as yet.

**Historical metadata for this site has been quality controlled for accuracy and completeness against available source information. However, users should be aware of the possible unavailability of confident source data and as such this site-specific metadata should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.**

Prepared by National Climate Centre of the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on [webclim@bom.gov.au](mailto:webclim@bom.gov.au)

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2008, Bureau of Meteorology.



## Basic Climatological Station Metadata

Current status

|                                |                                 |                           |                               |                                       |
|--------------------------------|---------------------------------|---------------------------|-------------------------------|---------------------------------------|
| <b>Station:</b> EDINBURGH RAAF | <b>Location:</b> EDINBURGH RAAF |                           |                               | <b>State:</b> SA                      |
| <b>Bureau No.:</b> 023083      | <b>WMO No.:</b> 95676           | <b>Aviation ID:</b> YPED  | <b>Opened:</b> 01 Jan 1972    | <b>Current Status:</b> Still open     |
| <b>Latitude:</b> -34.7111      | <b>Longitude:</b> 138.6222      | <b>Elevation:</b> 16.54 m | <b>Barometer Elev:</b> 17.1 m | <b>Metadata compiled:</b> 14 JAN 2008 |

### Observation summary

The table below indicates the approximate completeness of the record for individual element types within the Australian Data Archive for Meteorology. For elements not listed see the note at the end of the holdings.



#### DAILY DATA HOLDINGS

| OBSERVATION TYPE                                | FIRST MONTH | LAST MONTH | COMPLETENESS (% estimate) | SINGLE DAYS MISSED | FULL MONTHS MISSED |
|---|-------------|------------|---------------------------|--------------------|--------------------|
| <b>EVAPORATION</b>                              | DEC 1972    | NOV 1999   | 88.7                      | 1113               | 0                  |
|   |             |            |                           |                    |                    |
| <b>EVAPORIMETER - MAXIMUM WATER TEMPERATURE</b> | OCT 1979    | NOV 1999   | 80.4                      | 864                | 19                 |
|   |             |            |                           |                    |                    |
| <b>GROUND MINIMUM TEMPERATURE</b>               | MAY 1981    | DEC 1999   | 90.1                      | 676                | 0                  |
|   |             |            |                           |                    |                    |
| <b>MAXIMUM AIR TEMPERATURE</b>                  | NOV 1972    | DEC 2007   | 98.4                      | 198                | 0                  |
|   |             |            |                           |                    |                    |
| <b>MAXIMUM WIND GUST SPEED</b>                  | JAN 1973    | DEC 2007   | 77.8                      | 368                | 81                 |
|   |             |            |                           |                    |                    |
| <b>WIND RUN ABOVE 10 FEET</b>                   | JUN 1993    | DEC 2007   | 48.2                      | 290                | 81                 |
|   |             |            |                           |                    |                    |
| <b>WIND RUN BELOW 10 FEET</b>                   | NOV 1972    | NOV 1999   | 87.3                      | 1158               | 3                  |
|   |             |            |                           |                    |                    |
| <b>RAINFALL</b>                                 | NOV 1972    | JAN 2008   | 99                        | N/A                | N/A                |
|   |             |            |                           |                    |                    |

**Historical metadata for this site has been quality controlled for accuracy and completeness against available source information. However, users should be aware of the possible unavailability of confident source data and as such this site-specific metadata should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.**

Prepared by National Climate Centre of the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on [webclim@bom.gov.au](mailto:webclim@bom.gov.au)

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2008, Bureau of Meteorology.



## Basic Climatological Station Metadata

Current status

|                                |                                 |                           |                               |                                       |  |
|--------------------------------|---------------------------------|---------------------------|-------------------------------|---------------------------------------|--|
| <b>Station:</b> EDINBURGH RAAF | <b>Location:</b> EDINBURGH RAAF |                           |                               | <b>State:</b> SA                      |  |
| <b>Bureau No.:</b> 023083      | <b>WMO No.:</b> 95676           | <b>Aviation ID:</b> YPED  | <b>Opened:</b> 01 Jan 1972    | <b>Current Status:</b> Still open     |  |
| <b>Latitude:</b> -34.7111      | <b>Longitude:</b> 138.6222      | <b>Elevation:</b> 16.54 m | <b>Barometer Elev:</b> 17.1 m | <b>Metadata compiled:</b> 14 JAN 2008 |  |

### HOURLY SYNOPTIC DATA HOLDINGS - from 1 to 24 observations per day

| OBSERVATION TYPE               | FIRST MONTH      | LAST MONTH       | COMPLETENESS (% estimate) | FREQUENCY average daily | SINGLE DAYS MISSED | FULL MONTHS MISSED |
|--------------------------------|------------------|------------------|---------------------------|-------------------------|--------------------|--------------------|
| <b>AIR TEMPERATURE</b>         | NOV 1972         | DEC 2007         | 90.1                      | 4.8                     | 167                | 0                  |
| 1<br>8<br>5<br>0               | 1<br>9<br>0<br>0 | 1<br>9<br>5<br>0 | 1<br>9<br>5<br>0          |                         |                    |                    |
| <b>DEW POINT</b>               | NOV 1972         | DEC 2007         | 90.0                      | 4.8                     | 186                | 0                  |
| 1<br>8<br>5<br>0               | 1<br>9<br>0<br>0 | 1<br>9<br>5<br>0 | 1<br>9<br>5<br>0          |                         |                    |                    |
| <b>MEAN SEA LEVEL PRESSURE</b> | OCT 1973         | DEC 2007         | 86.8                      | 4.9                     | 914                | 1                  |
| 1<br>8<br>5<br>0               | 1<br>9<br>0<br>0 | 1<br>9<br>5<br>0 | 1<br>9<br>5<br>0          |                         |                    |                    |
| <b>TOTAL CLOUD AMOUNT</b>      | NOV 1972         | DEC 2007         | 64.1                      | 2.9                     | 999                | 84                 |
| 1<br>8<br>5<br>0               | 1<br>9<br>0<br>0 | 1<br>9<br>5<br>0 | 1<br>9<br>5<br>0          |                         |                    |                    |
| <b>WIND SPEED</b>              | NOV 1972         | DEC 2007         | 89.7                      | 4.8                     | 257                | 0                  |
| 1<br>8<br>5<br>0               | 1<br>9<br>0<br>0 | 1<br>9<br>5<br>0 | 1<br>9<br>5<br>0          |                         |                    |                    |

**Historical metadata for this site has been quality controlled for accuracy and completeness against available source information. However, users should be aware of the possible unavailability of confident source data and as such this site-specific metadata should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.**

Prepared by National Climate Centre of the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on [webclim@bom.gov.au](mailto:webclim@bom.gov.au)



## Basic Climatological Station Metadata

Current status

|                                |                                 |                           |                               |                                       |
|--------------------------------|---------------------------------|---------------------------|-------------------------------|---------------------------------------|
| <b>Station:</b> EDINBURGH RAAF | <b>Location:</b> EDINBURGH RAAF |                           |                               | <b>State:</b> SA                      |
| <b>Bureau No.:</b> 023083      | <b>WMO No.:</b> 95676           | <b>Aviation ID:</b> YPED  | <b>Opened:</b> 01 Jan 1972    | <b>Current Status:</b> Still open     |
| <b>Latitude:</b> -34.7111      | <b>Longitude:</b> 138.6222      | <b>Elevation:</b> 16.54 m | <b>Barometer Elev:</b> 17.1 m | <b>Metadata compiled:</b> 14 JAN 2008 |

### RAINFALL INTENSITY DATA HOLDINGS

| OBSERVATION TYPE   | FIRST MONTH | LAST MONTH | COMPLETENESS (% estimate) | SINGLE DAYS MISSED | FULL MONTHS MISSED |
|--------------------|-------------|------------|---------------------------|--------------------|--------------------|
| RAINFALL INTENSITY | NOV 1979    | FEB 2006   | 96.7                      | 165                | 5                  |

### ONE-MINUTE DATA HOLDINGS

| OBSERVATION TYPE | FIRST MONTH | LAST MONTH | COMPLETENESS (% estimate) | FREQUENCY average daily | SINGLE DAYS MISSED | FULL MONTHS MISSED |
|------------------|-------------|------------|---------------------------|-------------------------|--------------------|--------------------|
| ALL ELEMENTS     | NOV 2001    | JAN 2008   | 99.0                      | 1424.9                  | N/A                | 0                  |

### HALF-HOURLY DATA HOLDINGS

| OBSERVATION TYPE | FIRST MONTH | LAST MONTH | COMPLETENESS (% estimate) | FREQUENCY average daily | SINGLE DAYS MISSED | FULL MONTHS MISSED |
|------------------|-------------|------------|---------------------------|-------------------------|--------------------|--------------------|
| ALL ELEMENTS     | APR 1992    | JAN 2008   | 95.5                      | 45.8                    | N/A                | 0                  |

### THERE ARE NO UPPER-AIR EDT DATA HOLDINGS

#### Holdings calculated up to 01 Jan 2008

The % complete figure is the completeness of observations averaged over all months of record, for the given station and observation type, taking gaps into account. For hourly holdings, the completeness is relative to the maximum number of daily observations for the site each month, and is therefore an estimate. For daily holdings, the completeness figure shown is exact. For half-hourly holdings, the completeness figure may exceed 100%. This may be due to a high incidence of special observations measured in addition to routine observations.

The single days missed figure is the total number of days for which no observation was received, not including full missed months. The full months missed figure is the total of full month gaps over the period of record. Where an element is not included assumptions can generally be made about availability, and the list to use has been suggested below.

#### Unlisted element

- Minimum air temperature
- Wet bulb temperature
- Soil temperature at 20, 50 & 100cm
- Relative humidity
- Minimum temp. of water in evaporimeter
- Visual observations eg. weather, visibility
- Sea related observations

#### Listed element to use

- Maximum air temperature
- Dew point
- 10cm soil temperature
- Dew point
- Evaporimeter - max water temp
- Total cloud amount
- Sea state

**Historical metadata for this site has been quality controlled for accuracy and completeness against available source information. However, users should be aware of the possible unavailability of confident source data and as such this site-specific metadata should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.**

## Notes on these metadata

The following notes have been compiled to assist with interpreting the metadata provided in this document. These notes are subject to change as the network evolves. Changes in station-specific metadata occur more frequently, both as recent changes are recorded and historical information is transferred from paper file to electronic database.

### Reliability of the metadata

The Commonwealth Bureau of Meteorology maintains information on more than 20,000 stations which have operated since observations began in the mid 1800s. The amount of information available for each of these sites and its associated uncertainty is influenced by a number of factors including the type and purpose of the station and the time over which it operated.

Early information about stations was held only on paper file. In 1998 a corporate electronic database was established to help maintain information about the network and its components. The number of parameters recorded about a station is now much greater than before this database was established. The national database has also helped improve consistency in the metadata through the implementation of predefined fields. As a result, and through the refinement of operating procedures, station metadata recorded since 1998 are of a higher overall standard than previously, although occasional omissions and errors are still possible.

The Bureau is part way through a task of entering historical information held on paper file into the corporate database. **Until this process is completed there will remain large gaps in the information contained in these metadata documents and considerable caution should be used when deriving conclusions from the metadata.** As an example, two consecutive entries about a rain gauge dated 50 years apart may appear in the equipment metadata. This may either mean that nothing happened to that instrument over the 50 years, or that information for the intervening period has yet to be entered into the database. Similarly, if no information was available about instruments at a site when it was first established, fields which were required to have a value present may have used the earliest information available as a best-guess estimate. Sometimes this was the metadata current when the database was established in 1998. In some instances there may be gaps in metadata relevant to the post 1998 period.

For the above reasons it is recommended that all metadata prior to 1998 be considered as indicative only, and used with caution, unless it has been quality controlled. The Bureau of Meteorology should be contacted if further information or confirmation of the data is required. Depending on the nature of the inquiry there may be a fee associated with this request. Contact details are provided in the telephone book for each capital city or the Bureau's web site at:  
<http://www.bom.gov.au>

The following pages contain explanatory notes for selected terms found in this document.

### Station Number

The Bureau of Meteorology station number uniquely specifies a station and is not intended to change over time, although on very rare occasions a station number may change or be deleted from the record (usually to correct an error). Generally a new station number is established if an existing station changes in a way that would affect the climate data record for that site (measured in terms of air temperature and precipitation). Significant station moves are an example of this.

Some stations also possess a World Meteorological Organization (WMO) station number. The WMO number is different to the Bureau of Meteorology number. It also uniquely specifies a station at any given time but can be reassigned to another station if the new station takes priority in the global reporting network. Only selected stations will have a WMO number. Significant stations may maintain their WMO number for many decades.

**Historical metadata for this site has been quality controlled for accuracy and completeness against available source information. However, users should be aware of the possible unavailability of confident source data and as such this site-specific metadata should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.**

Prepared by National Climate Centre of the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on [webclim@bom.gov.au](mailto:webclim@bom.gov.au)

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2008, Bureau of Meteorology.



## Notes on these metadata

### Network Classification

|  |
|--|
| <b>SUPPORTING the BASIC CLIMATE SERVICE</b>                  |
| Global Climate Observing System (GCOS)                       |
| GCOS Upper Air Network (GUAN)                                |
| GCOS Surface Network (GSN)                                   |
| National Climate Network {not yet assigned}                  |
| Reference Climate Stations (RCS)                             |
| Regional Basic Climatological Network (RBCN)                 |
| CLIMAT Stations (CLC)  |
| CLIMAT TEMP Stations (CLT)                                   |
| <b>SUPPORTING the NATIONAL WEATHER WATCH SYSTEM</b>          |
| WMO Global Observing System (GOS)                            |
| GOS Upper Air Network  |
| GOS Satellite Network  |
| Global Atmospheric Watch                                     |
| Background Atmospheric Pollution Monitoring Network (BAPMON) |
| Basic Ozone Network  |
| Basic Solar and Terrestrial Radiation Network                |
| Regional Basic Synoptic Network (RBSN)                       |
| WMO Global Oceanic Observing System (GOOS)                   |
| <b>SUPPORTING the BASIC WEATHER SERVICE (BWS)</b>            |
| BWS Land Network   |
| Significant Land Locations                                   |
| Capital City Mesonets  |
| National Benchmark Network for Agrometeorology (NBNA)        |
| BWS Marine Network   |
| Significant Coastal Locations                                |
| Open Ocean Network   |
| BWS Upper Air Network  |
| Major Significant Locations                                  |
| BWS Remote Sensing Network                                   |
| Weather Watch Radar Network                                  |
| Fire Weather Wind Mesonets                                   |
| High Resolution Satellite                                    |
| <b>SUPPORTING the BASIC HYDROLOGICAL SERVICE</b>             |
| Regional Flood Warning Network                               |
| Water Resources Assessment Network                           |
| Global Hydrological Network                                  |
| Global Terrestrial Observing System (GTOS)                   |
| World Hydrological Cycle Observing System (WHYCOS)           |
| National Hydrological Network                                |

Networks of stations are defined for a variety of purposes (as defined in above table).

**Historical metadata for this site has been quality controlled for accuracy and completeness against available source information. However, users should be aware of the possible unavailability of confident source data and as such this site-specific metadata should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.**

Prepared by National Climate Centre of the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on [webclim@bom.gov.au](mailto:webclim@bom.gov.au)

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2008, Bureau of Meteorology.



## Notes on these metadata

### Network Classification Continued....

Stations may be included in several different networks, which may change over time. The table on the previous page lists current network classifications related to the scientific purpose of the network. Some of these networks - the GCOS network for instance - are components of a global network. Entries in the database for some networks may not be complete, thus not properly representing the status of the network. The composition of the network will usually change over time. While several of the networks have international significance, other network classifications have been developed to aid operational management.

### Station Purpose

The station purpose can be classified according to the observation program listed below. Parameters in brackets list some of the various different configurations which occur.

- Synoptic [Seasonal, River Height, Climatological, Telegraphic Rain, Aeronautical, Upper Air]
- Climatological [Seasonal, Telegraphic Rain]
- Aeronautical
- Rainfall [River Height]
- River Height
- Telegraphic Rain [Non-Telegraphic River Height, Telegraphic River Height]
- Non-Telegraphic Rain [Telegraphic River Height]
- Evaporation [Rainfall, River Height, Telegraphic River Height, Non-Telegraphic River Height, Telegraphic Rain, Non-Telegraphic Rain]
- Pluviograph [Rainfall, Telegraphic Rain, Non-Telegraphic Rain, River Height, Telegraphic River Height, Non-Telegraphic River Height]
- Radiation
- Lightning Flash Counter
- Public Information
- Local Conditions
- Radar Site
- Unclassified
- No Routine Observations

Note: Telegraphic observations are those which are sent by some electronic means be it a phone or telegram to the responsible Bureau office. It is a term which is historically linked to analogue non automatic data transmission.

**Historical metadata for this site has been quality controlled for accuracy and completeness against available source information. However, users should be aware of the possible unavailability of confident source data and as such this site-specific metadata should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.**

Prepared by National Climate Centre of the Bureau of Meteorology.

Contact us by phone on (03) 9669 4082, by fax on (03) 9669 4515, or by email on [webclim@bom.gov.au](mailto:webclim@bom.gov.au)

Station metadata is compiled for a range of internal purposes and varies in quality and completeness. The Bureau cannot provide any warranty nor accept any liability for this information. © Copyright Commonwealth of Australia 2008, Bureau of Meteorology.