



Annual mean temperature anomalies for Australia (compared with 1961–1990 average)

| Year | Mean temperature (Australia) | | | | Rainfall | | | | | Sea surface temperature (Australian region) | |
|------|------------------------------|--------|--|--|----------------------------------|------|--------------------------------|---|--|---|--------|
| | Annual mean anomaly (deg C) | Rank | Proportion of Australia above median (%) | Proportion of Australia below median (%) | National area-averaged mean (mm) | Rank | Percentage above/below average | Proportion of Australia in highest decile (%) | Proportion of Australia in lowest decile (%) | Annual mean anomaly (deg C) | Rank |
| 2013 | +1.20 | 1 | 100.0 | 0.0 | 428 | 63 | -8 | 6.2 | 11.7 | +0.51 | 3 |
| 2012 | +0.11 | 37 (=) | 61.3 | 38.7 | 479 | 38 | +3 | 4.4 | 4.4 | +0.39 | 7 |
| 2011 | -0.13 | 53 | 47.6 | 52.4 | 708 | 2 | +52 | 62.5 | 0.0 | +0.44 | 5 |
| 2010 | +0.20 | 25 (=) | 62.0 | 38.0 | 703 | 3 | +51 | 57.8 | 4.1 | +0.59 | 1 (=) |
| 2009 | +0.81 | 4 | 96.7 | 3.3 | 461 | 50 | -1 | 7.4 | 5.4 | +0.37 | 10 (=) |
| 2008 | +0.34 | 16 | 82.1 | 17.9 | 479 | 39 | +3 | 6.9 | 4.3 | +0.30 | 15 |
| 2007 | +0.63 | 7 | 92.9 | 7.1 | 506 | 28 | +8 | 10.1 | 3.1 | +0.29 | 16 |
| 2006 | +0.38 | 15 | 77.1 | 22.9 | 489 | 35 | +5 | 20.1 | 18.3 | +0.15 | 24 (=) |
| 2005 | +1.03 | 2 | 97.1 | 2.9 | 397 | 87 | -15 | 0.5 | 5.9 | +0.38 | 8 (=) |
| 2004 | +0.43 | 13 (=) | 88.7 | 11.3 | 497 | 30 | +7 | 10.8 | 1.6 | +0.23 | 18 (=) |
| 2003 | +0.59 | 9 | 94.7 | 5.3 | 473 | 42 | +2 | 9.4 | 1.8 | +0.34 | 13 |
| 2002 | +0.60 | 8 | 98.0 | 2.0 | 331 | 112 | -29 | 1.0 | 38.1 | +0.38 | 8 (=) |
| 2001 | -0.06 | 45 (=) | 52.1 | 47.9 | 550 | 13 | +18 | 29.3 | 2.1 | +0.41 | 6 |
| 2000 | -0.16 | 56 (=) | 39.3 | 60.7 | 698 | 4 | +50 | 56.2 | 0.8 | +0.35 | 12 |
| 1999 | +0.19 | 28 (=) | 69.4 | 30.6 | 578 | 9 | +24 | 24.6 | 0.7 | +0.45 | 4 |
| 1998 | +0.85 | 3 | 96.2 | 3.8 | 550 | 14 | +18 | 14.3 | 0.2 | +0.59 | 1 (=) |
| 1997 | +0.19 | 28 (=) | 72.5 | 27.5 | 511 | 26 | +10 | 13.2 | 2.1 | +0.10 | 27 (=) |
| 1996 | +0.52 | 11 | 83.2 | 16.8 | 461 | 48 | -1 | 2.8 | 6.2 | +0.27 | 17 |
| 1995 | +0.11 | 37 (=) | 58.7 | 41.3 | 521 | 22 | +12 | 17.2 | 0.0 | +0.21 | 21 |

| | | | | | | | | | | | |
|------|-------|--------|------|------|-----|-----|-----|------|------|-------|--------|
| 1994 | +0.14 | 32 (=) | 67.3 | 32.7 | 339 | 110 | -27 | 0.0 | 27.1 | -0.03 | 42 (=) |
| 1993 | +0.25 | 22 | 72.6 | 27.4 | 486 | 37 | +5 | 13.4 | 3.7 | -0.08 | 48 (=) |
| 1992 | +0.06 | 41 | 44.1 | 55.9 | 454 | 53 | -2 | 26.0 | 13.9 | +0.05 | 29 (=) |
| 1991 | +0.55 | 10 | 92.9 | 7.1 | 464 | 47 | 0 | 6.8 | 4.4 | +0.34 | 32 (=) |
| 1990 | +0.43 | 13 (=) | 87.9 | 12.1 | 416 | 74 | -10 | 3.1 | 10.6 | +0.22 | 20 |

Notes:

Ranks are given from highest to lowest, and cover the period from 1900 to 2013 (114 years) for rainfall and sea surface temperatures, and 1910 to 2013 (104 years) for Australian (land temperatures). Anomalies are from a 1961-1990 base period.

2013 sea surface temperature values are for the 11 months from January to November.