

Australian Hydrological Geospatial Fabric (Geofabric) Data Product Specification

Hydrology Reporting Catchments

Version 2.0 – November 2011



Australian Government
Bureau of Meteorology



Australian Hydrological Geospatial Fabric (Geofabric) Data Product Specification - Hydrology Reporting Catchments

Contact details

Geospatial Data Unit

Bureau of Meteorology
GPO Box 2334 CANBERRA ACT 2601

Phone: 02 6232 3502

Email: ahgf@bom.gov.au

Contents

Preface	6
1 Overview	7
1.1 Data product specification title	7
1.2 Reference date	7
1.3 Responsible party	7
1.4 Data product specification language	7
1.5 Terms and definitions	7
1.6 Abbreviations and acronyms	8
1.7 Informal description of data product	8
2 Specification scope	9
2.1 Scope identification	9
2.2 Level	9
2.3 Level name	9
2.4 Level description	9
2.5 Extent	9
2.5.1 Description	9
2.5.2 Geographic extent	9
2.5.3 Temporal extent	10
3 Data product identification	11
3.1 Title	11
3.2 Alternate title	11
3.3 Product ID	11
3.4 Abstract	11
3.5 Purpose	11
3.5.1 Use case	12
3.6 Topic category	12
3.7 Spatial representation	12
3.8 Spatial resolution	12
3.8.1 Spatial denominator	12
3.8.2 Resolution distance	12
3.9 Geographic bounding box	12
3.9.1 West bound longitude	12
3.9.2 East bound longitude	12
3.9.3 South bound latitude	12
3.9.4 North bound latitude	12
3.10 Geographic identifier	13
3.10.1 Identifier authority	13
3.10.2 Identifier code	13
3.10.3 Code space (register URL)	13
3.11 Reference to specification scope	13
4 Data content and structure	14
4.1 Description	14
4.2 Feature information	15

Australian Hydrological Geospatial Fabric (Geofabric) Data Product Specification - Hydrology Reporting Catchments

- 4.2.1 Application schema..... 15
- 4.2.2 Feature catalogue..... 15
- 4.3 Reference to specification scope..... 15
- 5 Reference systems 16
 - 5.1 Spatial reference system..... 16
 - 5.1.1 Name 16
 - 5.1.2 Code..... 16
 - 5.1.3 Code space 16
 - 5.2 Temporal reference system..... 16
 - 5.3 Vertical reference system..... 16
 - 5.4 Reference system scope 16
- 6 Data quality 17
 - 6.1 Data quality scope..... 17
 - 6.1.1 Scope code 17
 - 6.1.2 Extent..... 17
 - 6.1.3 Scope description 17
 - 6.2 Data quality lineage..... 17
 - 6.2.1 Lineage statement..... 17
 - 6.3 Quality scope 18
- 7 Data capture..... 19
 - 7.1 Data capture statement 19
 - 7.2 Data capture scope 19
- 8 Data maintenance 20
 - 8.1 Maintenance and update frequency 20
 - 8.2 Other maintenance information 20
 - 8.3 Maintenance scope..... 20
- 9 Portrayal information 21
 - 9.1 Portrayal information 21
 - 9.2 Portrayal scope 21
- 10 Data Product Delivery..... 22
 - 10.1 Delivery format 22
 - 10.1.1 Format name 22
 - 10.1.2 Format version..... 22
 - 10.1.3 Language used within the dataset 22
 - 10.1.4 Character set coding..... 22
 - 10.2 Delivery medium 22
 - 10.2.1 Units of delivery 22
 - 10.2.2 Estimated size of a unit in the specified format..... 22
 - 10.2.4 Medium name 22
 - 10.2.5 Online delivery URL 22
 - 10.3 Other delivery information 22
 - 10.4 Delivery scope..... 23
- 11 Additional information..... 24

Australian Hydrological Geospatial Fabric (Geofabric) Data Product Specification - Hydrology Reporting Catchments

- 11.1 Additional information..... 24
- 11.2 Additional information scope 24
- 12 Metadata 25

List of Tables

- Table 1 - Product Feature Type Registry for Geofabric Hydrology Reporting Catchments..... 15

Preface

This document is based upon the AS/NZS ISO 19131:2008 Geographic information - Data product specifications standard¹. The document provides a framework for the completion of a Data Product Specification (DPS) for geographic data product produced as part of the Geofabric project.

¹ AS/NZS, "AS/NZS ISO 19131:2008 Geographic information - Data product specifications" (AS/NZS, July 21, 2008), www.saiglobal.com/online/.

1 Overview

1.1 Data product specification title

Geofabric Hydrology Reporting Catchments

1.2 Reference date

2011-08-30

1.3 Responsible party

Contact organisation: Bureau of Meteorology

Contact position: Geospatial Data Unit

Mail address: GPO Box 2334

Locality: Canberra

State: ACT

Country: Australia

Postcode: 2601

Electronic mail address: ahgf@bom.gov.au

1.4 Data product specification language

English

1.5 Terms and definitions

Please refer to the Glossary in the Geofabric Product Guide.

1.6 Abbreviations and acronyms

AHGF	Australian Hydrological Geospatial Fabric
ANZLIC	Australian and New Zealand Land Information Council
Bureau	Australian Government: Bureau of Meteorology
DEM	Digital Elevation Model
DPS	Data Product Specification
ESRI	Environmental Systems Research Institute Inc.
FGDC	Federal Geographic Data Committee
GDA94	Geodetic Datum of Australia 1994
ISO	International Organization for Standardization
SDE	Spatial Database Engine

1.7 Informal description of data product

The Geofabric Hydrology Reporting Catchments product is based on the Geofabric Surface Catchments feature class. It identifies contracted nodes that are located on the AHGFNetworkStreams and the corresponding linkages between these nodes.

Contracted nodes correspond to features in the landscape with hydrological significance such as the confluence of major/named streams, sinks, monitoring points and estuaries. Contracted nodes carry an identity that is persistent across scales and across versions of the Geofabric.

A contracted node is a drainage point for a catchment. The area between one contracted node to the next contracted node is mapped as a contracted catchment. The full set of contracted catchments can be aggregated in various ways to form a contracted catchment hierarchy. These aggregations are used to create stable regions as given in the Geofabric Hydrology Reporting Regions product.

The node-link (upstream), and a node-link (downstream), features provide the connectivity between contracted nodes and their corresponding links in a tabular form.

The data product extent is Geographic Australia (as defined by *Acts Interpretation Act 1901*). The product will be updated periodically to reflect changed attribution and new data sources.

2 Specification scope

2.1 Scope identification

Global

2.2 Level

Dataset

2.3 Level name

Global scope

2.4 Level description

This is the default root level global scope used by this data product and relates to all data within the product.

2.5 Extent

2.5.1 Description

Data for this scope relates to Australia, excluding external Territories - Geographic Australia (as defined by *Acts Interpretation Act 1901*).

2.5.2 Geographic extent

West bound longitude

112.8 °

East bound longitude

154.1 °

South bound latitude

-44.0 °

North bound latitude

-8.9 °

2.5.3 Temporal extent

Start date

1992-01-01

End date

Now

3 Data product identification

3.1 Title

Geofabric Hydrology Reporting Catchments

3.2 Alternate title

Geofabric Hydrology Reporting Catchments 1:250,000 scale 2011

3.3 Product ID

ANZCW0503900107

3.4 Abstract

The Geofabric Hydrology Reporting Catchments product identifies contracted nodes that are located on the AHGFNetworkStreams and the corresponding linkages between these nodes.

Contracted nodes correspond to features in the landscape with hydrological significance such as the confluence of major/named streams, sinks, monitoring points and estuaries. Contracted nodes carry an identity that is persistent across scales and across versions of the Geofabric.

A contracted node is a drainage point for a catchment. The area between one contracted node to the next contracted node is mapped as a contracted catchment. The full set of contracted catchments can be aggregated in various ways to form a contracted catchment hierarchy. These aggregations are used to create stable regions as given in the Geofabric Hydrology Reporting Regions product.

The node-link (upstream), and node-link (downstream), features provide the connectivity between contracted nodes and their corresponding links in a tabular form.

This product contains five feature types including: Node, Link, Contracted Catchment, Node-Link Connectivity (upstream), and Node-Link Connectivity (downstream).

3.5 Purpose

The product can be used for creating a node-link network for identifying hydrological features of interest both upstream and downstream from a point and the connections between them. The full set of contracted catchments can be aggregated in various ways to form a contracted catchment hierarchy. These aggregations are used to create stable regions as given in the Geofabric Hydrology Reporting Regions product. The node-link (upstream), and node-link (downstream), features provide the connectivity between contracted nodes and their corresponding links in a tabular form.

Australian Hydrological Geospatial Fabric (Geofabric) Data Product Specification - Hydrology Reporting Catchments

3.5.1 Use case

The product provides access to the topological connections between important hydrological features that can be used for stream tracing operations. The Geofabric ContractedCatchments can also be aggregated to create stable reporting regions.

3.6 Topic category

003 - boundaries

007 - environment

012 - inland water

013 - location

3.7 Spatial representation

vector

3.8 Spatial resolution

3.8.1 Spatial denominator

250,000

3.8.2 Resolution distance

250 metres

3.9 Geographic bounding box

3.9.1 West bound longitude

112.8 °

3.9.2 East bound longitude

154.1 °

3.9.3 South bound latitude

-44 °

3.9.4 North bound latitude

-8.9 °

3.10 Geographic identifier

3.10.1 Identifier authority

ANZLIC – the Spatial Information Council

3.10.2 Identifier code

AUS

3.10.3 Code space (register URL)

ANZLIC

<http://asdd.ga.gov.au/asdd/profileinfo/anzlic-allgens.xml>

3.11 Reference to specification scope

Global

4 Data content and structure

4.1 Description

The product consists of the following components which combine to give a complete data product:

Vector data

The data is available as an ESRI File Geodatabase: Geofabric Hydrology Reporting Catchments. The ESRI File Geodatabase reflects the stored environment of the data in a spatial database engine (SDE) export format.

In its native ESRI File Geodatabase format, Geofabric Hydrology Reporting Catchments consists of a single feature dataset/theme – HR_Catchments – containing five feature classes, and two relationship classes. The geodatabase structure provides greater efficiencies in the management and revision of source topographic data, which are now reflected in a more sophisticated data product suitable for a range of hydrological applications.

Geofabric Product Guide

This guide describes the Geofabric Hydrology Reporting Catchments, particularly the geodatabase format, with the aim of describing:

- important and common geospatial data characteristics
- geodatabase components and data concepts
- hierarchy of feature structure and attributes
- accuracy of the data.

Licence Agreement Creative Commons

The licence agreement details the conditions of use for the data including any referencing requirements.

4.2 Feature information

4.2.1 Application schema

Refer to Geofabric Hydrology Reporting Catchments – Geodatabase Product Schema V2.0 2011 available from www.bom.gov.au/water/geofabric/documentation.shtml

4.2.2 Feature catalogue

The following table lists the feature classes, their geometry and AHGF feature type number for Geofabric Hydrology Reporting Catchments.

Table 1 - Product Feature Type Registry for Geofabric Hydrology Reporting Catchments

HR_Catchments - Feature Class/TableName.Subtype(Type)	Feature Class Geometry	AHGF Feature Type Number
AHGFNode.NetworkJunctionNode*	points	4
AHGFNode.NetworkTerminusNode*	points	5
AHGFNode.NetworkArtificialNode*	points	6
AHGFNode.NetworkWaterAreaNode*	points	7
AHGFNode.NetworkGhostNode*	points	8
AHGFNode.NetworkHeadNode*	points	9
AHGFNode.NetworkCliffNode*	points	10
AHGFContractedCatchment.ContractArea	polygon	22
AHGFContractedCatchment.NonContractedArea	polygon	23
AHGFContractedCatchment.NoFlowArea	polygon	24
AHGFLink	line	65
NodeLinkConnectivityUp	na	table
NodeLinkConnectivityDown	na	table

* Subset of AHGFNetworkNode features corresponding to logically contracted nodes
 Highlighted text indicates a Bureau created feature

4.3 Reference to specification scope

Global

5 Reference systems

5.1 Spatial reference system

5.1.1 Name

GDA94

5.1.2 Code

4283

5.1.3 Code space

EPSG_v65

5.2 Temporal reference system

Gregorian calendar

5.3 Vertical reference system

Not applicable

5.4 Reference system scope

Global

6 Data quality

6.1 Data quality scope

6.1.1 Scope code

Dataset

6.1.2 Extent

Australia (excluding external territories)

6.1.3 Scope description

The data quality metadata relates to the entire dataset comprising this data product.

6.2 Data quality lineage

6.2.1 Lineage statement

Data sources

Geofabric Hydrology Reporting Catchments is part of a suite of Geofabric products produced by the Australian Bureau of Meteorology.

The geometry of this product is derived from the Geofabric Surface Network product. It consists of Node, Link and Contracted Catchments as well as Node-Link Connectivity tables for both upstream and downstream network tracing. The outflow point for each Contracted Catchment is based on a Contracted Node and the boundaries of the underlying Catchments.

The feature class terminology for Geofabric Hydrology Reporting Catchments components has been modified to distinguish it in terms of the product's underlying data model.

The AHGFContractedCatchments are aggregations of the 9 second catchments that participate in a relationship of common areal extent, based upon the location of a Contracted Node from both the Geofabric Surface Cartography and Geofabric Surface Network products. The types of contracted nodes and the levels of contracted confidence are further described in the Geofabric Product Guide, which is available at www.bom.gov.au/water/geofabric/documentation.shtml

Australian Hydrological Geospatial Fabric (Geofabric) Data Product Specification - Hydrology Reporting Catchments

Processing steps:

1. Re-composited feature classes in the Geofabric Maintenance Geodatabase Feature Dataset are assigned unique Hydro-IDs using ESRI ArcHydro for Surface Water (ArcHydro: 1.4.0.180 and ApFramework: 3.1.0.84).
2. Feature classes from the Geofabric Maintenance Geodatabase Feature Dataset are extracted and reassigned to the Geofabric Hydrology Reporting Catchments Feature Dataset within the Geofabric Hydrology Reporting Catchments Geodatabase.

A complete set of data mappings, from input source data to Geofabric Products, is included in the Geofabric Product Guide, Appendices, which is available at www.bom.gov.au/water/geofabric/documentation.shtml

6.3 Quality scope

Global

7 Data capture

7.1 Data capture statement

This product is derived from the Geofabric Surface Network and Geofabric Surface Catchments.

7.2 Data capture scope

Global

8 Data maintenance

8.1 Maintenance and update frequency

Irregular

8.2 Other maintenance information

The product will be updated periodically, as deemed necessary, to reflect changed attribution and new data sources.

8.3 Maintenance scope

Global

9 Portrayal information

9.1 Portrayal information

Not applicable

9.2 Portrayal scope

Global

10 Data Product Delivery

10.1 Delivery format

10.1.1 Format name

ESRI ArcGIS File Geodatabase

10.1.2 Format version

ArcGIS v9.3

10.1.3 Language used within the dataset

English

10.1.4 Character set coding

Utf8

10.2 Delivery medium

10.2.1 Units of delivery

National dataset

10.2.2 Estimated size of a unit in the specified format

HR_Catchments.gdb = 85 MB

10.2.4 Medium name

onLine

10.2.5 Online delivery URL

www.bom.gov.au/water/geofabric/download.shtml

10.3 Other delivery information

Also supplied as ESRI Shapefiles (requires written request to ahgf@bom.gov.au).

ESRI File Geodatabase and ESRI shapefiles are also available on DVD from the Bureau.

10.4 Delivery scope

Global

11 Additional information

11.1 Additional information

Licensing and access constraints

Licensed for use under [Creative Commons Australia Attribution.](#)

We request attribution as © Commonwealth of Australia (Bureau of Meteorology) 2011.

Special features of the supplied data product or its component parts

Spatial data in the ESRI File Geodatabase, Geofabric Product Guide and Geofabric Data Product Specifications.

Limitation or constraints on product use

As per [Creative Commons Australia Attribution licence.](#)

Layer files or queries that operate on the data product

Geofabric_Hydrology_Reporting_Catchments.lyr

Related data products

- Geofabric Surface Cartography
- Geofabric Surface Network
- Geofabric Surface Catchments
- Geofabric Groundwater Cartography
- Geofabric Hydrology Reporting Regions.

11.2 Additional information scope

Global

12 Metadata

Metadata format requirements

Metadata compliant with ANZLIC Metadata Profile Version 1.1 of AS/NZS ISO 19115 was produced for this data product. The metadata profile is available at dataset level. Feature level metadata is provided within the ArcGIS ArcCatalog FGDC style sheet for all feature types included within this product and describes the lineage of feature.

Metadata encoding requirements

ArcGIS FGDC and ANZLIC compliant feature metadata.

References to metadata for data product and component parts

An ISO 19115 compliant XML file of the Geofabric Surface Hydrology Reporting Catchments metadata statement accompanies the Product (HR_Catchments.xml) and is viewable using either the ArcGIS ISO 19139 ArcCatalog metadata style sheet or the ANZMet Lite version 1.0 metadata creation tool available from:

www.osdm.gov.au/Metadata/ANZLIC+metadata+resources/ANZMet+Toolkit+%28final+draft+-+07.2009%29/default.aspx



Through the *Water Act 2007*, the Australian Government has given the Bureau of Meteorology responsibility for compiling and delivering comprehensive water information across Australia.

For more information

Visit our website at www.bom.gov.au/water

Send an email request to waterinfo@bom.gov.au



Australian Government

Bureau of Meteorology