



Water Reporting Summary – Goulburn Catchment

15 December 2020




Photo: Goulburn River August 2018 by Nils Versemann



Overview


- In the last 30 days, most of the central areas of the Goulburn catchment received 25 to 50 mm of rainfall. The lower Goulburn catchment near Kyabram and Shepparton received 10 to 25 mm of rainfall, while upstream areas received 50 to 100 mm, and parts of the Great Dividing Range receiving up to 200 mm (Figure 1). The area-average rainfall for the catchment was 43 mm. In parts of the catchment, this recent rainfall has offset the rainfall deficiency experienced over the last four years. Rainfall from January 2017 to November 2020 is now considered to be average or below average for most of the Goulburn catchment (Figure 2). However, areas near Shepparton and Mansfield have received very much below average rainfall during this period.
- The recent rainfall has helped to maintain average root zone soil moisture conditions for the catchment. Rainfall received in the last month has translated into some runoff and inflow into storages (Figure 3). Announced allocations for high-reliability water shares reached 100% on 15 November (Table 1). This was the earliest time in a water year 100% of high-reliability water entitlements has been reached since 2016–17.
- Allocation prices are currently \$144 per ML, which is higher than prices paid in November (\$119 per ML) but significantly lower than the same time last year (\$585 per ML) (Table 1).

Recent conditions



<http://www.bom.gov.au>
© Commonwealth of Australia 2020, Bureau of Meteorology

Figure 1: Rainfall totals for the last 30 days (16 Nov to 15 Dec 2020)



<http://www.bom.gov.au>
© Commonwealth of Australia 2020, Bureau of Meteorology

Figure 2: Rainfall percentiles since January 2017 (compared to 1900–2019 long-term average) (Jan 2017 to Nov 2020)

Note: Rainfall percentiles for the period from January 2017 are shown as the Bureau of Meteorology considers January 2017 to be the start of the current dry period for eastern Australia.

How much water is in the storages?

Storage volume: Eildon and Waranga basin storages as at 15 December 2020




Figure 3: Current total storage (% of total capacity) compared to the last ten years

Source: [BoM water storages dashboard](#)

Who is the water for?




Figure 4: Volumes of water allocations currently available/remaining (% of total remaining) (as at 15 December 2020)

Source: [Northern Victoria Resource Manager](#)

NB: Allocation information shows water available in allocation accounts and remaining commitments at 15 December 2020. Information published by the Northern Victoria Resource Manager differs from information published on the Victorian Water Register as the former includes preliminary environmental water holder use and volumes of operational use by Goulburn-Murray Water private water shareholders.

Table 1: Allocation announcements (%) and market prices – selected licence categories as at 15 December 2020

Licence category	Announced allocation	Historic comparison (same time of year)	Entitlement prices (monthly median)	Allocation price (median – last 7 days)
VIC Goulburn High-Reliability Water Share	100%	Earliest time of year for 100% allocations since 2016–17	\$4 000/ML	\$144/ML
VIC Goulburn Low-Reliability Water Share	0%	Same as most years	\$430/ML	

Source: [Victorian Water Register](#) and [BoM water markets dashboard](#)

FIND OUT MORE

For more information email water@bom.gov.au



With the exception of logos, photography and data referenced as being from other organisations, this publication is licensed under a Creative Commons Attribution 3.0 Australia Licence. The terms and conditions of the licence are available at <http://creativecommons.org/licenses/by/3.0/au>. Attribution for this publication should be: © Commonwealth of Australia (Bureau of Meteorology) 2020.