



Water Reporting Summary – Warrego Catchment

15 March 2021



Overview




- In the last 30 days, most areas of the upper Warrego catchment received 100 to 200 mm of rainfall, while the middle of the catchment received 50 to 100 mm of rainfall. Areas downstream of Cunnamulla received 25 to 50 mm of rainfall (Figure 1). As a result, the total area-average rainfall across the catchment was 81 mm over the last 30 days. This rainfall is in the context of the extended dry period since January 2017 with rainfall across the Warrego catchment mainly very much below average or lowest on record (Figure 2).
- With the recent rainfall, root zone soil moisture in the last month was average in the middle and upper areas of the Warrego catchment, however downstream areas near Cunnamulla experienced below average soil moisture. Recent rainfall has translated into inflow for the Cunnamulla water supply scheme (Table 1) with allocations for medium priority entitlement holders remaining at 100%, a similar level to the same time last year (Figure 4 and Table 2).

Recent conditions



<http://www.bom.gov.au>
© Commonwealth of Australia 2021, Bureau of Meteorology

Figure 1: Rainfall totals for the last 30 days
(14 Feb to 15 March 2021)



<http://www.bom.gov.au>
© Commonwealth of Australia 2021, Bureau of Meteorology

Figure 2: Rainfall percentiles since January 2017 (compared to 1900–2019 long-term average) (Jan 2017 to Feb 2021)

Note: Rainfall percentiles for the period from January 2017 are shown as the Bureau of Meteorology considers January 2017 to be the start of the current dry period for eastern Australia.

How much water is in the storages?

Table 1: Storage volume as at 15 March 2021

Water Supply Scheme	Cunnamulla
Storage	Allan Tannock Weir
Total storage (% Full)	100%

Source: [Sunwater](#)

Who is the water for?




Figure 4: Volumes of water allocated (% of total) for the 2020–21 water year, supplemented schemes (last updated 1 March 2021)

Source: [Sunwater](#) and [BoM water markets dashboard](#)

NB: Allocation information shown here is water allocated in the Cunnamulla supplemented scheme for various purposes as at 1 March 2021. It does not include unsupplemented entitlements. The information also does not represent remaining available allocated water as it does not allow for water used, traded or new storage inflows (in excess of minimum assumptions).

Table 2: Allocation announcements (%) – selected licence categories (last updated 1 March 2021)

Licence category	Announced allocation	Historic comparison (same time of year)
Cunnamulla WSS Medium Priority	100%	Similar to last year

Source: [Sunwater](#)

FIND OUT MORE

For more information email water@bom.gov.au



With the exception of logos, photography and data referenced as being from other organisations, this publication is licensed under a Creative Commons Attribution 3.0 Australia Licence. The terms and conditions of the licence are available at <http://creativecommons.org/licenses/by/3.0/au>. Attribution for this publication should be: © Commonwealth of Australia (Bureau of Meteorology) 2021.