



# Water Reporting Summary - Condamine - Balonne Catchment

15 September 2020





Photo: Beardmore Dam – Balonne Shire Council

## Overview

- In the last month, central areas of the Condamine-Balonne catchment received 10 to 25 mm of rainfall with some areas near Beardmore Dam and north of Meandarra receiving up to 50 mm (Figure 1). In contrast, the remaining areas received less than 10 mm of rainfall with some areas receiving no rain. As a result, the total area-average rainfall across the catchment was 10 mm over the last 30 days. This patchy rainfall is in the context of the extended dry period since January 2017 with rainfall across the Condamine-Balonne catchment mainly very much below average or lowest on record (Figure 2).
- With the recent rainfall, root zone soil moisture was average for most of the Condamine-Balonne catchment over the last month but remained below average in areas near Merivale and west of St George. Soils have continued to dry out following significant rainfall, flooding and very wet soils during February and March. The drying of the catchment has reduced runoff and inflows into storages over the past 30 days (Figure 3).
- Announced allocations for high priority entitlements in water supply schemes (WSS) in the Condamine-Balonne catchment have opened the 2020-21 water year at 100%. Allocations for medium priority entitlements in the St George WSS are currently 39%, their highest level for this time of year since 2017. However, relatively low storage levels in the Chinchilla and Leslie storages have resulted in medium priority allocations for the Upper Condamine WSS and Chinchilla Weir WSS both currently at 0%, which has occurred three times in the last ten years (Figure 4 and Table 1).

## Recent conditions



<http://www.bom.gov.au>  
© Commonwealth of Australia 2020, Bureau of Meteorology

Figure 1: Rainfall totals for the last 30 days (17 Aug to 15 Sept 2020)

<http://www.bom.gov.au>  
© Commonwealth of Australia 2020, Bureau of Meteorology

Figure 2: Rainfall percentiles since January 2017 (Compared to 1900-2019 long-term average) (Jan 2017 to Aug 2020)

Note: Rainfall percentiles for the period from January 2017 are shown as the Bureau of Meteorology considers January 2017 to be the start of the current dry period for eastern Australia.

## How much water is in the storages?

**Storage volume:** Beardmore, Leslie, Chinchilla and Jack Taylor storages as at 15 September 2020




Figure 3: Current total storage (% of total capacity) compared to the last ten years

Source: [BoM water storages dashboard](#)

## Who is the water in storages for?




Figure 4: Volumes of water allocated (% of total) for the 2020-21 water year, supplemented schemes (last updated 1 July 2020)

# Environmental allocations represent water allocations held by the CEWO only as at 30 June 2020 and do not include environmental pass flow requirements in the operation of infrastructure throughout the catchment.

Source: [Sunwater](#) and [BoM water markets dashboard](#)

NB: Allocation information shown here is water allocated in supplemented schemes for various purposes as at 1 July 2020. It does not include unsupplemented entitlements. The information also does not represent remaining available allocated water as it does not allow for water used, traded or new storage inflows (in excess of minimum assumptions).

Table 1: Allocation announcements (%) – Selected licence categories (last updated 1 July 2020)

Licence category	Announced allocation	Historic comparison (same time of year)
St George WSS Medium Priority (Bulk Share)*	39%	Highest for this time of year since 2017
Upper Condamine WSS High Priority A & B	100%	Same as most years
Upper Condamine WSS Medium Priority	0%	Opening allocation of 0% has occurred three times in the last ten years
Chinchilla Weir WSS High Priority	100%	Same as most years
Chinchilla Weir WSS Medium Priority	0%	Opening allocation of 0% has occurred three times in the last ten years

\* Announced Allocation applies to Bulk Share accounts only. The majority of water allocations are managed on a continuous accounting basis (capacity share)

Source: [Sunwater](#) and [BoM water markets dashboard](#)

FIND OUT MORE

For more information email [water@bom.gov.au](mailto:water@bom.gov.au)



With the exception of logos, photography and data referenced as being from other organisations, this publication is licensed under a Creative Commons Attribution 3.0 Australia Licence. The terms and conditions of the licence are available at <http://creativecommons.org/licenses/by/3.0/au>. Attribution for this publication should be: © Commonwealth of Australia (Bureau of Meteorology) 2020.