



Water Reporting Summary – Macquarie–Castlereagh Catchment


1 February 2021



Overview


- In the last 30 days, most of the central and downstream areas of the Macquarie–Castlereagh catchment received 50 to 100 mm of rainfall. Areas near Tullamore received up to 200 mm while northern and downstream areas around Coonamble and Carinda received up to 50 mm of rainfall (Figure 1). The total area-average rainfall for the catchment was 58 mm. Rainfall in the last month is in the context of the extended dry period since January 2017 with rainfall across the Macquarie–Castlereagh catchment mainly being very much below average or lowest on record (Figure 2).
- The recent rainfall has helped to improve root zone soil moisture conditions with above average moisture for most of catchment and very much above average in the upper catchment south of Coonabarabran. However, rainfall in the last month has not translated into significant runoff and inflows into storages (Figure 3).
- Announced allocations for general security entitlement holders are currently 28%. For this time of year, these are the highest allocations since 2017–18 (Table 1) (NSW DPIE).
- Allocation prices are currently \$200 per ML which is the same as prices paid last month, and a little higher than prices paid at the same time last year (Table 1).

Recent conditions



<http://www.bom.gov.au>
© Commonwealth of Australia 2021, Bureau of Meteorology

Figure 1: Rainfall totals for the last 30 days
(3 Jan 2021 to 1 Feb 2021)



<http://www.bom.gov.au>
© Commonwealth of Australia 2021, Bureau of Meteorology

Figure 2: Rainfall percentiles since January 2017 (compared to 1900–2019 long-term average) (Jan 2017 to Jan 2021)

Note: Rainfall percentiles for the period from January 2017 are shown as the Bureau of Meteorology considers January 2017 to be the start of the current dry period for eastern Australia.

How much water is in the storages?

Storage volume: Burrendong and Windamere storages as at 31 January 2021




Figure 3: Current total storage (% of total capacity) compared to the last ten years

Source: [BoM water storages dashboard](#)

Who is the water for?




Figure 4: Volumes of water allocated (% of total) for the 2020–22 water years (as at 15 January 2021)

Source: [NSW Department of Planning, Industry and Environment](#)

NB: Allocation information shown here is water allocated for various purposes from the Macquarie and Cudgegong regulated river sources within the Macquarie–Castlereagh catchment as at 15 January 2021. It does not represent remaining available allocated water as it does not allow for water used, traded or new storage inflows (in excess of minimum assumptions).

Table 1: Allocation announcements (%) and market prices – selected licence categories as at 1 February 2021

Licence category	Announced allocation	Historic comparison (same time of year)	Entitlement prices (monthly median)	Allocation price (median – last 7 days)
Stock & Domestic	100%	Same as most years	n/a	\$200/ML*
High Security	100%	Same as most years	n/a	
General Security	28%	Highest allocation since 2017–18	\$1 870/ML*	
Average Carryover (General Security)	8% currently available	1.6 % available last year	n/a	

*Indicative - limited trades

Source: [NSW Department of Planning, Industry and Environment](#) and [BoM water markets dashboard](#)

FIND OUT MORE

For more information email water@bom.gov.au



With the exception of logos, photography and data referenced as being from other organisations, this publication is licensed under a Creative Commons Attribution 3.0 Australia Licence. The terms and conditions of the licence are available at <http://creativecommons.org/licenses/by/3.0/au>. Attribution for this publication should be: © Commonwealth of Australia (Bureau of Meteorology) 2021.